

GIB® Compound Selector



		GIB TRADESET®	GIB MAXSET®	GIB LITESET® 90	GIB LITE BLUE®	GIB TRADEFILLA®	GIB REDIFILLA®	GIB PLUS 4®	GIB TRADEFINISH® EXTRA LITE	GIB TRADE FINISH® LITE	GIB TRADE FINISH® MULTI	GIB TRADE FINISH® HEAVY	GIB COVE® BOND	VICTOR® CORNICE BOND
SUITABLE FOR JOINT COAT	BASE COAT	✓	✓	✓	✗	✓	✓	✓	✓	✓	✓	✗	✗	✗
	2ND COAT	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗	✗	✗
	FINISHING COAT	✗	✗	✗	✗	✓	✓	✓	✓	✓	✓	✓	✗	✗
SUITABLE FOR COVE		✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✓	✓
COMPOUND TYPE		Setting.	Setting.	Setting.	Setting.	Setting.	Air drying ready mix.	Air drying ready mix.	Air drying ready mix.	Air drying ready mix.	Air drying ready mix.	Air drying ready mix.	Setting.	Setting.
SANDING/SCRAPE		Easy to scrape.	Scrape while "green".	Very easy to scrape and sand.	Moderate sanding.	Moderate Sanding.	Easy sanding.	Easy sanding.	Very easy sanding.	Easy sanding.	Moderate sanding.	Harder to sand.	Hard to scrape.	Hard to scrape.
WORKING/SET TIMES (MINS)		20, 45, 90 and 150.	90	90	90	10	—	—	—	—	—	—	45 and 90	30 - 40
PRODUCT SIZE		5kg* and 20kg bag.	20kg bag.	18kg bag.	17.5kg bag	5kg bag.	2L and 4L pails.	4L, 10L and 15L pails.	15L pail and 14L carton.	15L pail and 14L carton.	10L and 15L pails and 14L carton.	15L pail.	5kg** and 20kg bags.	20kg bag.
MAIN BENEFITS		<ul style="list-style-type: none"> — Ideal for bedding tape. — Machine tool compatible. — Variety of setting times available. 	<ul style="list-style-type: none"> — Mechanically strong and robust. — Strong tape adhesion even in higher temperatures. — Sets hard for faster jointing. — Maximum coverage with low shrinkage. 	<ul style="list-style-type: none"> — Stable viscosity during working time. — Good flow through application tools. — Easy to sand and scrape. — Requires less water – faster drying. 	<ul style="list-style-type: none"> — Easy to sand. — Machine and hand tool application. — Low shrinkage. 	<ul style="list-style-type: none"> — Ideal to quickly repair and fill holes. — No shrinkage and hardens quickly. — Can apply a second coat after 30 mins. — Sands to a smooth finish, ready to paint or decorate. 	<ul style="list-style-type: none"> — Suitable for all three jointing coats. — Ideal for filling small cracks, holes, nail heads, scratches and dents. — Low odour. — Sandable and paintable. 	<ul style="list-style-type: none"> — Suitable for all three jointing coats. — Ideal for skim coating. — Excellent adhesion to a variety of substrates. 	<ul style="list-style-type: none"> — Very easy sanding and light weight. — Super slick to trowel or apply with box. — Yellow tint enables easy top coat identification. — Good for warmer weather application. 	<ul style="list-style-type: none"> — Easy sanding by hand and light weight. — Super slick to trowel or apply with box. — Yellow tint enables easy top coat identification. 	<ul style="list-style-type: none"> — Medium weight multi purpose. — Super slick to trowel or apply with box. — Yellow tint enables easy identification. 	<ul style="list-style-type: none"> — Heavy weight, suitable for machine sanding. — Super slick to trowel or apply with box. — "Full body" trowelling. — Yellow tint. — More appropriate for cooler weather application. 	<ul style="list-style-type: none"> — Excellent "wet tack". — Suitable for back blocking. — Two setting times available. 	<ul style="list-style-type: none"> — Specifically designed for adhering fibrous plaster products. — Excellent adhesion and great for renovation work.

Other Compounds

- GIB X-Block® jointing compound is specifically formulated for the GIB X-Block® Radiation Shielding Systems.
- Victor® Multi Plus is specially formulated to render an interior solid plaster over a masonry surface.
- For Victor® plasters and GIB® Plaster of Paris, refer to www.gib.co.nz.

*GIB Tradeset® 150 is only available in 20 kg bags.

**5kg only available in 45min set time.

Air drying compounds are not recommended as a basecoat on GIB Aqualine® and GIB Toughline® Aqua.

Use the complete GIB® systems and enjoy complete peace of mind with proven solutions for NZ conditions and comprehensive nationwide after-sales service.

For more information call the GIB® Helpline **0800 100 442** or visit **www.gib.co.nz**