

HAYES™

Fence Tools and Gates



In 1895 a young pioneer Ernest Hayes began farming the rugged back country of New Zealand's South Island and through his background in engineering, soon began to develop the tools that would help turn this wilderness back country into productive land.

Initially produced by hand, Hayes' simple tools began to develop a solid reputation and in 1902

he established the company that would proudly bear his name.

Times have changed, but the Hayes product you buy today remains a tribute to Ernest Hayes' imagination, drive, energy and determination to be the best.

Now 100 years on, Hayes products can be found hard at work all over New Zealand and in over 25 countries around the world.

www.HayesTools.com

Wire Strainers

Smooth Grip Chain Strainer

H300 (872002)

The **original** chain and grab wire strainer. Proven in the field for over 100 years.

- Heavy duty industry leader
- Available with anchor hook and extra long chain **H300AL** (800009)

Made in NZ



Clamp Strainer

H406 (872019)

- Designed for use with prefabricated fence
- For use with Steel Strainer Clamps

Made in NZ



Steel Strainer Clamps


H508S 1.2m (872030)

H508S 1.9m (872031)

H508S 2.4m (872032)

- Hammer-in wedges for quick easy operation
- Strain up using **H406** Clamp Strainer

Made in NZ



"My team's tools get a hard time yet they must continue to perform. After 100's of kilometres of conventional, electric, horticultural and vineyard fencing, Hayes is definitely my preferred brand"

Gordy Davy - Fence Contractor, 10 years (Katikati, New Zealand)

Wire Dispensers


Adjustable-Collapsible Wire Dispenser

H540 Spike Foot (872039)

H540Y Y Foot (872040)

- Folding arms for ease of storage
- Adjustable to all wire coil diameters

Made in NZ



Single Tier Wire Dispenser

H319 Spike Foot (872009)

H319Y Y Foot (872010)

- Tough steel construction
- Cone braking to reduce wire tangling

Made in NZ



Deluxe Wire Dispenser

H320 (872011)

- Spring adjusted tension brake to control over-run
- Anchor pin for ground holding
- Coiling handle for recoiling fence wire

Made in NZ



Fence Post Tools

Fencing Spades

NEW ProHead

H351 (814240) **1.22m**

- Unique head - sharp blade and strong cast alloy steel head
- Ideal weighting
- 600 mm depth indicator
- High tensile welded neck

Round Head

H349 (872118) **1.12 m**

H350 (872117) **1.22 m**

- Hardened steel for long life
- Double curvature head allows greater dirt removal

Made in NZ




Post Rammer

H386AP (872018)

- Steel handle with cast iron foot makes compaction easy
- Half round head to suit any application

Made in NZ



Steel Standard Driver

H352 (872015)

- Dual handle and compaction weighting to assist driving with ease

Made in NZ



Steel Standard Lifter

H325 (872012)

- Robust design with excellent leverage

Made in NZ


SuperCrimp & Crimp Sleeves

SuperCrimp All Purpose Fencing Tool (807273)

Combines all the features of the world famous Hayes EzePull and Hayes EzeCrimp in one superb tool.

- Two way staple puller removes even the toughest staples with ease
- Crimping jaws suitable for **all** wire types and types of crimps
- Wire stripper perfect for use on underground cable
- Wire cutter

Made in NZ



Crimp Sleeves

The easiest and most effective means of joining wire. Creates a joint that exceeds the breaking strength of wire.




HC2
Suitable for Ø1.6 - 2.5 mm (16 - 12½ gauge) fence wire
Pot of 100 (807979) Tub of 500 (808211)




HC3
Suitable for Ø2.50 - 3.15 mm (12½ - 10 gauge) fence wire
Pot of 50 (808209) Tub of 500 (808212)



HC4
Suitable for Ø3.55 - 4.0 mm (9 - 8 gauge) fence wire
Pot of 50 (808210)



HCB Pot of 50 (872051)
Suitable for barbed wire



HCE Pot of 50 (872052)
For connection to electric fences



Fastlok Wire Connector



Reusable wire connector
Pot of 10 (808324)

Accessories

Permanent Wire Strainer with Insulator

H302/H516 (872005)

Made in NZ



Tightening Handle

H303 (872007)

- Used in conjunction with the H302 to tighten fence wire

Made in NZ



Wire Tension Indicator

H340 (872113)

- Accurate and quick to use
- Robust design

Made in NZ



Permanent Wire Strainer

H302 (872003)

The **original** ratchet wire strainer

- Superior load capacity
- Famous for strength

Made in NZ



ProCut Premium Wire Cutters

H760 (812226)

- Laser heat treated cutting edges for longer life and superior cutting performance
- Unique knife and block style cutting edge ensures perfect mating of cutting surfaces
- Comfortable non-slip handle grips for greater control

Made exclusively for HAYES by Channellock (US)




Batten Helper

H750 (810257)

- Prevents the batten from moving while stapling
- Strong one-piece design, lightweight to carry

Made in NZ



Insulator for Permanent Wire Strainer

H516 (872034)

- Clips into Hayes Permanent Wire Strainer H302 body

Made in NZ




Slam Catch

H530 (872038)

- Opens at a touch and slams shut
- Rugged steel construction
- Ideal for sheep yards, deer gates, woolsheds, cowsheds and house gates

Made in NZ





Spare Parts












Smooth Grip Chain Strainer

-  **HP/100** (872060)
Anchor Hook
-  **HP/101** (872061)
Spring, Loop and Cotter
-  **HP/102** (872062)
R Forging
-  **HP/103** (872063)
300 mm Grab Tubular Handle
-  **HP/104** (872064)
Grip Complete
-  **HP/105** (872065)
Grip and Links
-  **HP/106L** (872066)
Grip with Links and D
-  **HP/106R** (872067)
Grip with Links and Swivel
-  **HP/107** (872068)
1.2 m Chain and Grip Grab
-  **HP/108** (872070)
Grab
-  **HP/109** (872071)
Swivel
-  **HP/110** (872072)
Clevis
-  **HP/111** (872073)
Grab Assembly
-  **HP/115** (872076)
Bulk Strainer Chain per metre
-  **HP/300**
Rivet Large (804066)
Rivet Small (804065)
Must be professionally installed.

Post Rammer

-  **HP/386/A** (872080)
1.62 m Post Rammer Handle
-  **HP/386** (872017)
Post Rammer Head


Clamp Strainer

-  **HP/101** (872061)
Spring, Loop and Cotter
-  **HP/102** (872062)
R Forging
-  **H406** (810612)
450 mm Grab Tubular Handle
-  **HP/108** (872070)
Grab
-  **HP/109** (872071)
Swivel
-  **HP/110** (872072)
Clevis
-  **HP/113** (872075)
2 m Anchor Chain with Hook
-  **HP/115** (872076)
Bulk Strainer Chain per metre
-  **HP/300**
Rivet Large (804066)
Rivet Small (804065)
Must be professionally installed.
-  **HP/406CH** (872082)
6 m Chain with Hook
-  **HP/406HH** (810614)
Handle and Hook

Steel Standard Lifter

-  **HP/325/3** (872014)
(No. 1 DOG)
Steel Standard Lifter Grip Plate
-  **HP/325/2** (872013)
(No. 2 DOG)
Steel Standard Lifter Grip Complete

Steel Strainer Clamps

-  **HP/5085** (872088)
Steel Strainer Wedges

Adjustable-Collapsible Wire Dispenser

-  **HP/319TF** (872078)
Fingers
-  (872119)
Centre Spike
-  (872120)
Y Foot
-  **HP/999** (872045)
Spike Foot

Single Tier Wire Dispenser

-  **HP/319TF** (872078)
Fingers
-  (872119)
Centre Spike
-  (872120)
Y Foot
-  **HP/999** (872045)
Spike Foot

Deluxe Wire Dispenser

-  **HP/319TF** (872078)
Fingers
-  (813108)
Deluxe Centre Spike
-  (872120)
Y Foot
-  (800470)
Top Tension Spring
-  (800471)
Top Tension Handle
-  (800473)
Guide without Handle
-  (800472)
Guide with Handle

Economy Gate

Made in NZ

Available Lengths:

- 1.83 m / 6 ft (813403)*
- 2.13 m / 7 ft (813404)*
- 2.44 m / 8 ft (813405)*
- 2.74 m / 9 ft (813406)*
- 3.05 m / 10 ft (813407)
- 3.35 m / 11 ft (813408)
- 3.66 m / 12 ft (813409)
- 3.96 m / 13 ft (813410)*
- 4.27 m / 14 ft (813411)
- 4.87 m / 16 ft (813412)

* Made To Order



Height	1 m	Fixed Lug	20 mm x 2	Vertical	25 NB
Frame	25 NB	Chainlink	75 x 3.15 mm	1 bar (1.83 m, 2.13 m)	
				2 bars (2.44 m - 4.87 m)	

Field Gate

Made in NZ

Available Lengths:

- 2.44 m / 8 ft (813413)*
- 2.74 m / 9 ft (813414)*
- 3.05 m / 10 ft (813415)
- 3.35 m / 11 ft (813416)
- 3.66 m / 12 ft (813417)
- 3.96 m / 13 ft (813418)*
- 4.27 m / 14 ft (813419)
- 4.57 m / 15 ft (813420)*
- 4.87 m / 16 ft (813421)

* Made To Order



Height	1 m	Fixed Lug	20 mm	Vertical	25 NB 2 bars
Frame	25 NB	Adj. Lug	20 mm	Diagonal	20 NB 2 bars
		Chainlink	75 x 3.15 mm		

Stressmaster Gate

Made in NZ

Available Lengths:

- 3.66 m / 12 ft (813422)
- 4.27 m / 14 ft (813423)
- 4.87 m / 16 ft (813424)*

Available in Heavy:

- 3.66 m / 12 ft (813425)
- 4.27 m / 14 ft (813426)
- 4.87 m / 16 ft (813427)*

* Made To Order



Height	1 m	Top Rail		Diagonal	20 NB
Hinge Upright	32 NB	25 NB (3.66 m)		2 bars (3.66 m, 4.27 m)	
Catch Upright	25 NB	32 NB (4.27 m)		3 bars (4.87 m)	
Stay	20 NB	40 NB (4.87 m)		Vertical	20 NB
Fixed Lug	20 mm x 2	32 NB (3.66 m) Heavy		1 bar (3.66 m, 4.27 m)	
Chainlink	75 x 3.15 mm	40 NB (4.27 m) Heavy		2 bars (4.87 m)	
		50 NB (4.87 m) Heavy			
		Bottom Rail			
		25 NB (3.66 m, 4.27 m)			
		32 NB (4.87 m)			

Cattle Gate

Made in NZ

Available Lengths:

3.66 m / 12 ft (813428)

4.27 m / 14 ft (813429)



Height	1 m	Fixed Lug	20 mm x 2	Vertical	25 NB
Frame	32 NB	Chainlink	50 x 3.15 mm		2 bars (3.66 m)
					3 bars (4.27 m)

Deer Gate

Made in NZ

Available Lengths (1.55 m H):

3.05 m / 10 ft (813437)*

3.35 m / 11 ft (813438)*

3.66 m / 12 ft (813439)*

4.27 m / 14 ft (813442)*

4.87 m / 16 ft (813443)*

Available Lengths (1.9 m H):

2.44 m / 8 ft (813444)*

2.74 m / 9 ft (813445)*

3.05 m / 10 ft (813430)

3.35 m / 11 ft (813431)


3.66 m / 12 ft (813432)

3.96 m / 13 ft (813433)*

4.27 m / 14 ft (813434)

4.57 m / 15 ft (813435)*

4.87 m / 16 ft (813436)



Height	1.55 m / 1.9 m	Vertical (1.55)	25 NB	Vertical (1.9 m)	25 NB
Frame	25 NB		2 bars (3.05 m - 4.27 m)		2 bars (2.44 m - 3.96 m)
Horizontal	1 bar 25 NB		3 bars (4.87 m)		3 bars (4.27 m - 4.87 m)
Fixed Lug	20 mm x 2				
Chainlink	75 x 3.15 mm				

* Made To Order

Deer Escape Gate

Made in NZ

Length: 600 mm (813446)*

Height: 700 mm

Frame: 20 NB

Horizontal: 4 bars 6.3 mm

Vertical: 6.3 mm

Weld on Lug/Pins: 16 mm x 2

Deadsure Latch: 20 mm

Outside dimensions of the outer frame are 800 mm wide x 860 mm high.

* Made To Order



Economy Barred Gate (Formerly Special Barred Gate)

Made in NZ

Available Lengths:

1.83 m / 6 ft	(813447)*
2.13 m / 7 ft	(813449)*
2.44 m / 8 ft	(813450)*
2.74 m / 9 ft	(813451)*
3.05 m / 10 ft	(813452)
3.35 m / 11 ft	(813453)
3.66 m / 12 ft	(813454)
3.96 m / 13 ft	(813455)
4.27 m / 14 ft	(813456)
4.57 m / 15 ft	(813457)
4.87 m / 16 ft	(813458)*



Height	1 m	Horizontal	5 bars 6.3 mm	Vertical	25 x 3 mm
Frame	25 NB	Diagonal	6.3 mm	3 bars	(1.83 m)
Fixed Lug	20 mm	1 bar	(1.83 m - 4.27 m)	4 bars	(2.13 m, 2.44 m)
Adj. Lug	20 mm	2 bars	(4.57 m, 4.87 m)	5 bars	(2.74 m)
				6 bars	(3.05 m, 3.35 m)
				7 bars	(3.66 m)
				8 bars	(3.96 m, 4.27 m)
				9 bars	(4.57 m)
				10 bars	(4.87 m)

* Made To Order

Medium Barred Gate

Made in NZ

Available Lengths:

1.83 m / 6 ft	(813459)*
2.13 m / 7 ft	(813460)*
2.44 m / 8 ft	(813461)
2.74 m / 9 ft	(813462)*
3.05 m / 10 ft	(813463)
3.35 m / 11 ft	(813464)
3.66 m / 12 ft	(813465)
3.96 m / 13 ft	(813466)
4.27 m / 14 ft	(813467)
4.57 m / 15 ft	(813468)
4.87 m / 16 ft	(813469)*



Height	1.05 m	Horizontal	6 bars 7.5 mm	Vertical	25 x 3 mm
Frame	25 NB	Diagonal	6.3 mm	3 bars	(1.83 m)
Fixed Lug	20 mm	1 bar	(1.83 m - 4.27 m)	4 bars	(2.13 m, 2.44 m)
Adj. Lug	20 mm	2 bars	(4.57 m, 4.87 m)	5 bars	(2.74 m, 3.05 m)
				6 bars	(3.35 m)
				7 bars	(3.66 m)
				8 bars	(3.96 m, 4.27 m)
				9 bars	(4.57 m, 4.87 m)

* Made To Order

Heavy Barred Gate

Made in NZ

Available Lengths:

1.83 m / 6 ft	(813470)
2.13 m / 7 ft	(813471)
2.44 m / 8 ft	(813472)
2.74 m / 9 ft	(813473)
3.05 m / 10 ft	(813474)
3.35 m / 11 ft	(813475)
3.66 m / 12 ft	(813476)
3.96 m / 13 ft	(813477)
4.27 m / 14 ft	(813478)
4.57 m / 15 ft	(813479)*
4.87 m / 16 ft	(813480)*



Height	1.05 m	Horizontal	5 bars 9.5 mm	Vertical	25 x 5 mm
Frame	25 NB	Diagonal	6.3 mm	3 bars	(1.83 m, 2.13 m)
Fixed Lug	20 mm	1 bar	(1.83 m - 4.27 m)	4 bars	(2.44 m, 2.74 m)
Adj. Lug	20 mm	2 bars	(4.57 m, 4.87 m)	5 bars	(3.05 m)
				6 bars	(3.35 m)
				7 bars	(3.66 m, 3.96 m)
				8 bars	(4.27 m, 4.57 m)
				9 bars	(4.87 m)

* Made To Order


Note: Special gates made to order, i.e. Powergate, Sheep Yard, Cattle Yard, Barred Cattle Gate (Tangihau).

Style E Barred Gate

Made in NZ

Available Lengths:

1.83 m / 6 ft	(813481)*
2.13 m / 7 ft	(813482)*
2.44 m / 8 ft	(813483)*
2.74 m / 9 ft	(813484)*
3.05 m / 10 ft	(813485)
3.35 m / 11 ft	(813486)
3.66 m / 12 ft	(813487)
3.96 m / 13 ft	(813488)*
4.27 m / 14 ft	(813489)
4.57 m / 15 ft	(813490)*
4.87 m / 16 ft	(813491)*



Height	1.05 m	Fixed Lug	20 mm	Vertical	40 x 5 mm
Frame	25 NB	Adj. Lug	20 mm	1 bar	(1.83, 2.13 m)
		Horizontal	5 bars	2 bars	(2.44 m - 3.66 m)
			20 mm	3 bars	(3.96 m - 4.87 m)

* Made To Order

Vertical Barred Gate

Made in NZ

Available Lengths:

1.07 m / 3 ft 6"	(813492)
1.52 m / 5 ft	(813493)
1.83 m / 6 ft	(813494)
2.13 m / 7 ft	(813495)
2.44 m / 8 ft	(813496)
2.74 m / 9 ft	(813497)
3.05 m / 10 ft	(813498)
3.35 m / 11 ft	(813499)
3.66 m / 12 ft	(813500)
3.96 m / 13 ft	(813501)
4.27 m / 14 ft	(813502)



Height	1 m	Vertical	7.5 mm	25 bars	(2.74 m)
Frame	25 NB	9 bars	(1.07 m)	28 bars	(3.05 m)
Fixed Lug	20 mm x 2	14 bars	(1.52 m)	31 bars	(3.35 m)
		17 bars	(1.83 m)	34 bars	(3.66 m)
		20 bars	(2.13 m)	37 bars	(3.96 m)
		23 bars	(2.44 m)	40 bars	(4.27 m)

Medium Barred Deer Gate


Made in NZ

Available Lengths (1.50 m H):

3.05 m / 10 ft	(813503)*
3.66 m / 12 ft	(813506)*
4.27 m / 14 ft	(813508)*

Available Lengths (1.85 m H):

3.05 m / 10 ft	(813504)*
3.66 m / 12 ft	(813507)*
4.27 m / 14 ft	(813509)*



Height	1.50 m / 1.85 m	Diagonal	6.3 mm	Vertical	7.5 mm
Frame	25 NB	Horizontal	7.5 mm	5 bars	(3.05 m)
Fixed Lug	20 mm x 2	8 bars	(1.50 m)	7 bars	(3.66 m)
		10 bars	(1.85 m)	8 bars	(4.27 m)

* Made To Order

NB: Nominal Bore OD: Outside Diameter 20 NB = 26.6 mm OD 25 NB = 33.7 mm OD 32 NB = 42 mm OD 40 NB = 48 mm OD 50 NB = 60 mm OD
 Note: Special gates made to order, i.e. Powergate, Sheep Yard, Cattle Yard, Barred Cattle Gate (Tangihau).