



2009

PRODUCT CATALOGUE

BUILDING CODE - DURABILITY

The Building Code places the responsibility on manufacturers to clearly state:

- (a) the conditions for which products are or are not suitable;
- (b) the durability and frequency of maintenance for the products continued acceptable performance.

Specifically, the Building Code categorises durability in the following way:

Clause B2.3

- (b) For services to which access is difficult, and for hidden fixing of the external envelope and attached structures of a building: the life of the building being not less than 50 years.
- (c) For other fixings of the building envelope and attached structures, the building envelope, lining supports and other building elements having moderate ease of access but which are difficult to replace: 15 years.
- (d) For linings, renewable protective coatings, fittings and other building elements to which there is ready access: 5 years.

Iplex Pipelines have decided to adopt the following clause used by B.R.A.N.Z. in their appraisal certificates for products such as the pipe and fittings that we manufacture.

Durability

The pipe or fitting will have a service life that is compatible with other pipe and fittings manufactured to the relevant NZ Standard and any other recognised Standard if appropriate.

Thus correctly designed and installed drainage or pressure systems using Iplex Pipelines' pipes or fittings will satisfy the performance requirements of both N.Z.B.C. Clause B2.3 (b) (50 years - services to which access is difficult and N.Z.B.C. Clause B2.3 (c) (15 years - services to which access is moderate but are difficult to replace).

Clauses (b) and (c) cover the majority of applications for products of our own manufacture, with the exception of rainwater and rural polyethylene pipe used above ground which satisfy the requirements of N.Z.B.C. Clause B 2.3 (d). (5 years – services which have ready access)

UNSUITABLE APPLICATIONS

1. Iplex Pipelines PVC pressure pipes should not be used:

- (i) as a conductor for earthing electrical appliances
- (ii) with aromatic and chlorinated hydrocarbons, ketones, esters and ethers
Refer to 'A Guide to Chemical Resistance of Thermoplastic and Elastomeric Materials' - available from Iplex Pipelines
- (iii) at continuous service temperature above 60°C (uPVC) or 55°C (mPVC)
- (iv) where provision for pressure derating has not been made above 35°C
- (v) with compressed air
- (vi) without adequate support to the pipe both in above ground and below ground applications
- (vii) without adequate thrust support
- (viii) where depth of cover is less than
 - 300mm where pipeline is not subject to vehicular loading
 - 450mm where pipeline is subject to vehicular loading not in roadways
 - 600mm where pipeline is subject to vehicular loading in sealed roadways
 - 750mm where pipeline is subject to vehicular loading in unsealed roadways
 - 750mm where pipeline is subject to construction equipment loading
- (ix) where working pressure + surge/cyclic pressure exceeds the nominated pressure/performance rating of the pipe
- (x) when exposed to direct sunlight above ground for long term applications, without protection. This protection may include pale coloured UV resistant paint systems or physical shading
- (xi) where service connections are directly tapped into the pipe wall

2. Iplex Pipelines polyethylene pipes are not suitable for use in the following applications:

- (i) as a conductor for earthing electrical appliances
- (ii) all fire-rated applications
- (iii) exposure to direct sunlight in service (except black pipe)
- (iv) continuous service above 60°C internal or external temperature.
- (v) pressure pipes in continuous services up to 60°C internal or external temperature, where provision for pressure derating has not been made
- (vi) carrying chemicals outside the range advised by Iplex Pipelines
- (vii) without adequate support to the pipe in above ground and below ground applications
- (viii) where working pressure + surge/cyclic pressure exceeds the nominated pressure/performance rating of the pipe
- (ix) where incorrect depth of cover is applied
- (x) the conveying of anti-bloat agents containing detergent or detergent-like compounds (except Iplex rural pressure pipes)

3. Iplex Pipelines PVC Drain, Waste & Vent pipes should not be used:

- (i) with aromatic and chlorinated hydrocarbons, ketones, esters and ethers
- (ii) for pumped pressure applications
- (iii) at continuous service temperatures above 60°C or for intermittent discharges of liquid above 75°C
- (iv) without adequate support to the pipe both in above ground and below ground applications
- (v) without adequate thrust support
- (vi) in below ground applications where depth of cover is less than:
 - 300mm where pipeline is not subject to vehicular loading
 - 450mm where pipeline is subject to vehicular loading not in roadways
 - 600mm where pipeline is subject to vehicular loading in sealed roadways
 - 750mm where pipeline is subject to vehicular loading in unsealed roadways
 - 750mm where pipeline is subject to construction equipment loading
- (vii) when exposed to direct sunlight above ground for long term applications, without protection. This protection may include pale coloured U.V. resistant paint systems or physical shading.

DEFINITION OF TERMS USED

SOE	Socketed One End (For Solvent Weld Jointing)
Z	Z Joint
RRJ	Rubber Ring Joint
SCJ	Solvent Cement Joint
COE	Coupler One End
PE	Plain End
uPVC	Unplasticised Polyvinylchloride
mPVC	Modified Polyvinylchloride
DWV	Drain Waste and Vent
DN	Nominal Diameter (mm)
PN	Nominal Maximum Working Pressure (Bar)
SDR	Standard Dimension Ratio = $\frac{\text{Maximum Mean Outside Diameter}}{\text{Minimum Wall Thickness}}$
PE80B	Medium Density Polyethylene (MDPE) to AS4130
PE80C	Second Generation High Density Polyethylene (HDPE) to AS4130
PE100	High Performance Polyethylene (HPPE) to AS4130
SN	Minimum Pipe Stiffness Class as defined in AS/NZS1260:1999
M&F	Male & Female
F&F	Female & Female

WORKING PRESSURE CONVERSION TABLE					
uPVC					
CLASS	P.S.I	M / HEAD	KPA	BAR	PN
B	87	60	600	6	6
C	130	90	900	9	9
D	173	120	1200	12	12
E	217	150	1500	15	15
F	260	180	1800	18	18
PE					
	46	32	320	3.2	3.2
	58	40	400	4	4
	91	63	630	6.3	6.3
	116	80	800	8	8
	145	100	1000	10	10
	181	125	1250	12.5	12.5
	232	160	1600	16	16

CONTENTS

Drain Waste & Vent Systems	1
Novadrain Drain Waste & Vent Pipe	2
Novacor & Supertuff Extra Drain Waste & Vent Pipe	3
Restrain	3
Polidrain 17 Polyethylene Drainage Pipe	3
Novadrain Drain Waste & Vent Fittings SCJ	4
Smartpan, Smartwaste, Smartrap, Smartile	9
Uni-Trap Waste Traps	10
Pipe Clips	10
Novadrain Drain Waste & Vent Fittings RRJ	11
Polidrain Pipe & Fittings	14
Stormwater Systems & Roding Products	17
Superstorm Stormwater Duct	18
Restrain	18
Polidrain 17 Polyethylene Drainage Pipe	18
Nexus Hi-Way	19
Laylite Culvert	19
Stormfit Stormwater Fittings	20
Chamber Systems	23
Tegra 315 Inspection Chamber	24
Tegra 400 Inspection Chamber	25
Pressure Systems	27
Apollo PVC-O	28
Novakey uPVC Pressure Pipe	29
White Rhino mPVC Pressure Pipe	30
Blue Brute uPVC Pressure Pipe	31
Blue Rhino mPVC Pressure Pipe	31
Novakey uPVC Pressure Fittings	32
Blueline MDPE Pressure Pipe	36
Poliplex 80B MDPE Pressure Pipe	36
Poliplex 100 HPPE Pressure Pipe	37
Agricultural Systems	39
Alkathene Low Density Polyethylene Pipe	40
Irripod Low Density Polyethylene Pipe	40
Novatube Horticultural Lateral Tube	40
Effluent Polyethylene Pipe	40
Greenline Polyethylene Pipe	41
Redline Polyethylene Pipe	41
Rural Black Polyethylene PN12.5	42
Blackline HPPE Pipe	42
Blackline Fittings	43
Plasson Compression Fittings	44
Plasson Threaded Fittings	47
Plasson Polypropylene Valves	48
Nexusflo & Nexuscoil Land Drainage Pipe	49
Novaflo & Novacoil Land Drainage Pipe	49
Nexus/Novaflo Fittings	50

Agricultural Systems cont.

Nexus Culvert PE Culvert Pipe	51
Farmtuff uPVC Culvert Pipe	51
Laylite Culvert Pipe	51
Laylite Flume	51
Laylite Valve Box	51

Rainwater Systems

53

uPVC Rainwater System SCJ	54
uPVC Rainwater System RRR	55
uPVC Downpipe System	56
uPVC Rainwater System Accessories (Solvent Cement & Nails)	57

Electrical, Telecommunications Duct and Gas Pipe

59


Electrical PVC Cable Duct & Fittings	60
Restrained Cable Duct	60
Electrical Polyethylene Cable Duct	60
Telecommunications Duct & Fittings	61
Poligas MDPE Gas Pipe	61

Miscellaneous

63

Novakey Solvent Cement (Non Pressure & Pressure)	64
Novakey Cleaner & Primer	64
Novalube Pipe Lubricant	64
Med Lube	64

ORDERING GUIDE

	ORDER CODE	SIZE mm	CTN QTY	PRICE \$	
	101.40.88W	40 x 88°	35 x 5	2.28	
Code Prefix		Size		Price excl. G.S.T	 <p>INSPECTION BEND</p>
Size (mm)		Degree		No. of Units per Bag	
Degree				No. of Bags per Carton	
	Inspection Window				

DRAIN, WASTE & VENT SYSTEMS

**NOVADRAIN
NOVACOR
SUPERTUFF EXTRA
RESTRAIN
POLIdrain 17
SMARTPAN
SMARTWASTE
SMARTILE
UNI-TRAP
POLIdrain™**

PVC Drain Waste and Vent Pipe NON-PRESSURE APPLICATIONS ONLY AS/NZS 1260

NOVADRAIN uPVC DWV PIPE SOE & PE

ORDER CODE	SIZE mm x LENGTH m	PACK & BDLE QTY
100.32.6 SOE	32 x 6	240/10*
100.40.6 SOE	40 x 6	180/10*
100.50.6 SOE	50 x 6	150/5*
100.65.6 SOE	65 x 6	102
100.80.4 PE	80 x 4	88
100.80.6 SOE	80 x 6	88


*These bundle sizes are the minimum order quantity



SOLVENT CEMENT JOINT

NOVADRAIN 4000 uPVC DWV PIPE SOE & Z JOINT SN4

ORDER CODE	SIZE mm x LENGTH m	PACK QTY
100SN4.150.6 SOE	150 x 6	28
Z100SN4.150.4	150 x 4	28
Z100SN4.150.6	150 x 6	28
Z100SN4.175.6	175 x 6	20
Z100SN4.225.6	225 x 6	12
Z100SN4.300.6	300 x 6	6
Z100SN4.375.6	375 x 6	6
Z100SN4.475.6	475 x 6	2/4



SOLVENT CEMENT & RUBBER RING JOINT

NOVADRAIN 6000 uPVC DWV PIPE SOE & RRJ SN6

ORDER CODE	SIZE mm x LENGTH m	PACK QTY
100SN6.100.6 SOE	100 x 6	67
100SN6.100.6 RRJ	100 x 6	67



SOLVENT CEMENT & RUBBER RING JOINT

NOVADRAIN 8000 uPVC DWV PIPE Z JOINT SN8

ORDER CODE	SIZE mm x LENGTH m	PACK QTY
Z100SN8.150.4	150 x 4	28
Z100SN8.150.6	150 x 6	28
Z100SN8.175.6	175 x 6	20
Z100SN8.225.6	225 x 6	12
Z100SN8.300.6	300 x 6	6
Z100SN8.375.6	375 x 6	6
Z100SN8.475.6	475 x 6	2/4



RUBBER RING JOINT

NOVADRAIN 10000 uPVC DWV PIPE RRJ SN10

ORDER CODE	SIZE mm x LENGTH m	PACK QTY
100SN10.100.6 RRJ	100 x 6	67



RUBBER RING JOINT

NOVADRAIN 16000 uPVC DWV PIPE RRJ & Z JOINT SN16

ORDER CODE	SIZE mm x LENGTH m	PACK QTY
100SN16.100.6 RRJ	100 x 6	67
Z100SN16.150.3	150 x 3	28
Z100SN16.150.4	150 x 4	28
Z100SN16.150.6	150 x 6	28
Z100SN16.175.6	175 x 6	20
Z100SN16.225.6	225 x 6	12
Z100SN16.300.6	300 x 6	6
Z100SN16.375.6	375 x 6	6
Z100SN16.475.6	475 x 6	2/4




RUBBER RING JOINT

PVC Drain Waste and Vent Pipe NON-PRESSURE APPLICATIONS ONLY AS/NZS 1260

NOVACOR 6000 uPVC PIPE SOE & RRJ SN6


ORDER CODE	SIZE mm x LENGTH m	PACK QTY
2005N6.100.6 SOE	100 x 6	67
2005N6.100.6 RRJ	100 x 6	67



SOLVENT CEMENT & RUBBER RING JOINT

SUPERTUFF EXTRA IMPACT MODIFIED PVC PIPE Z JOINT SN16

ORDER CODE	SIZE mm x LENGTH m	PACK QTY
Z1550STSN16.150.6	150 x 6	28



RUBBER RING JOINT

uPVC RESTRAIN NON-PRESSURE APPLICATIONS ONLY AS/NZS 1260 (For Trenchless Installation)

RESTRAIN 1600 uPVC THREADED JOINT DWV PIPE RRJ SN16

ORDER CODE	SIZE mm x LENGTH m	PACK QTY
RESTRAIN100.6*	100 x 6	67
RESTRAIN100.3*	100 x 3	67
RESTRAIN150.6*	150 x 6	28
RESTRAIN150.3*	150 x 3	28
RESTRAIN225.3*	225 x 3	12



THREADED JOINT RRJ

*Made to order

- For technical assistance call customer services 0800 800 262
- For pricing assistance call contract pricing 0800 800 283

POLIdrain 17 POLYETHYLENE DRAINAGE PIPE NON-PRESSURE

ORDER CODE	SIZE mm	LENGTH m
DWV110SDR17.12	110	12
DWV160SDR17.12	160	12
DWV180SDR17.12	180	12
DWV250SDR17.12	250	12



SDR 17 GREY PIPE

NOVADRAIN uPVC Drain Waste and Vent Fittings SCJ NON-PRESSURE

Note: The Bag Quantity shown is the minimum order quantity for 32mm, 40mm & 50mm DWV fittings

ORDER CODE	SIZE mm	CTN / BAG QTY
101.32.15	32 x 15°	200 / 10
101.32.45	32 x 45°	160 / 5
101.32.88	32 x 88°	120 / 5
101.40.15	40 x 15°	60 / 5
101.40.45	40 x 45°	100 / 10
101.40.60	40 x 60°	200 / 5
101.40.88	40 x 88°	80 / 10
101.50.15	50 x 15°	40 / 5
101.50.45	50 x 45°	55 / 5
101.50.88	50 x 88°	40 / 10
101.65.15	65 x 15°	140
101.65.45	65 x 45°	120
101.65.88	65 x 88°	70
101.80.15	80 x 15°	70
101.80.45	80 x 45°	70
101.80.88	80 x 88°	40
101.100.5	100 x 5°	42
101.100.15	100 x 15°	35
101.100.30	100 x 30°	35
101.100.45	100 x 45°	32
101.100.60	100 x 60°	27
101.100.88	100 x 88°	19
101.150.45	150 x 45°	9
101.150.88	150 x 88°	5
101.100A	100 x 0-90°	12
101.150A	150 x 0-45°	10



PLAIN BEND



ADJUSTABLE BEND

171.50.42	50 x 42°	50 / 10
171.50.88	50 x 88°	40 / 10
171.65.42	65 x 42°	85
171.80.42	80 x 42°	60
171.80.88	80 x 88°	50
171.100.5	100 x 5°	45
171.100.11	100 x 11°	36
171.100.15	100 x 15°	35
171.100.22	100 x 22°	28
171.100.30	100 x 30°	34
171.100.42	100 x 42°	30
171.100.88	100 x 88°	19



PLAIN BEND M & F

171.50.40.42 50 x40 x 42° 50 / 5

*Spigot is 50mm



REDUCING BEND M & F

101.32.88W	32 x 88°	180 / 5
101.40.45W	40 x 45°	60 / 5
101.40.88W	40 x 88°	40 / 5
101.50.45W	50 x 45°	90 / 5
101.50.88W	50 x 88°	70 / 10
101.65.88W	65 x 87°	60
101.80.88W	80 x 88°	35
101.100.45W	100 x 45°	28
101.100.88W	100 x 88°	17
101.150.88W	150 x 88°	5












INSPECTION BEND

102.100.88 100 x 88° 15










REAR ACCESS BEND

NOVADRAIN uPVC Drain Waste and Vent Fittings SCJ NON-PRESSURE









ORDER CODE	SIZE mm	CTN / BAG QTY	
103.100.45	100 x 45°	14	 ACCESS BEND
103.100.88	100 x 88°	13	
104.32.45	32 x 45°	100 / 5	 PLAIN JUNCTION
104.32.88	32 x 88°	40 / 5	
104.40.45	40 x 45°	35 / 5	
104.40.88	40 x 88°	50 / 5	
104.50.45	50 x 45°	40 / 5	
104.50.88	50 x 88°	50 / 5	
104.65.45	65 x 45°	35	
104.65.88	65 x 88°	45	
104.80.45	80 x 45°	24	
104.80.88	80 x 88°	24	
104.100.45*	100 x 45°	12	
104.100.88**	100 x 88°	14	
104.150.45	150 x 45°	3	
104.150.88	150 x 88°	4	
*Threaded on one main way socket and branch socket			
**Threaded on one main way socket			
104.80.50.45	80 x 50 x 45°	32	 REDUCING JUNCTION
104.100.50.45	100 x 50 x 45°	18	
104.100.50.88	100 x 50 x 88°	24	
104.100.65.45	100 x 65 x 45°	18	
104.100.80.45	100 x 80 x 45°	16	
104.150.100.45	150 x 100 x 45°	5	
104.150.100.88	150 x 100 x 88°	5	
104.40.88W	40 x 88°	40 / 5	 INSPECTION JUNCTION
104.50.88W	50 x 88°	40 / 5	
104.65.88W	65 x 88°	40	
104.80.88W	80 x 88°	20	
104.100.88W	100 x 88°	12	
104.100.50.45W*	100 x 50 x 45°	18	
104.100.65.45W*	100 x 65 x 45°	18	
*Reducing Junction			
105.80.88	80 x 88°	24	 REAR ACCESS JUNCTION
105.100.88	100 x 88°	10	
105.100.45LH	100 x 45°	7	 SIDE ACCESS JUNCTION
105.100.45RH	100 x 45°	7	
106.100.88	100 x 88°	8	 DOUBLE JUNCTION
110.32	32	110 / 5	 STRAIGHT COUPLING
110.40	40	60 / 10	
110.50	50	100 / 10	
110.65	65	130	
110.80	80	96	
110.100	100	45	
110.150	150	14	
111.40	40	40 / 5	 EXPANSION COUPLING
111.50	50	50 / 5	
111.65	65	105	
111.80	80	50	
111.100	100	36	
111.150	150	12	

NOVADRAIN uPVC Drain Waste and Vent Fittings SCJ NON-PRESSURE










ORDER CODE	SIZE mm	CTN / BAG QTY	
112.32	32	80 / 5	 FEMALE IRON TO PVC (SOCKET)
112.40	40	60 / 10	
112.50	50	80 / 10	
112.65	65	90	
113.32	32	80 / 5	 MALE IRON TO PVC (SOCKET)
113.40	40	90 / 10	
113.50	50	100 / 10	
113.100	100	12	
113.40.32	40 x 32	800 / 10	
114.32	32	100 / 5	 COPPER TO PVC ADAPTOR
114.40	40	70 / 5	
114.50	50	40 / 5	
114.80	80	50	
114.100	100	36	
119.80.50	80 x 50	80	 STRAP ON BOSS
119.100.50	100 x 50	70	
120.80	80	60	 BOLTED TRAP SCREW
120.100	100	48	
122.100.50	100 x 50	72	 PIPE REDUCER
123.40.32	40 x 32	90 / 5	 LEVEL INVERT TAPER
123.50.32	50 x 32	210 / 5	
123.50.40	50 x 40	50 / 5	
123.65.40	65 x 40	180	
123.65.50	65 x 50	200	
123.80.50	80 x 50	85	
123.80.65	80 x 65	85	
123.100.50	100 x 50	45	
123.100.65	100 x 65	60	
123.100.80	100 x 80	45	
123.150.100	150 x 100	20	
124.40.32	40 x 32	190 / 5	
124.50.32	50 x 32	185 / 5	
124.50.40	50 x 40	120 / 10	
124.65.40	65 x 40	180 / 10	
124.65.50	65 x 50	200 / 10	
124.80.50	80 x 50	130 / 10	
124.80.65	80 x 65	150	
124.100.40	100 x 40	87	
124.100.50	100 x 50	87	
124.100.65	100 x 65	87	
124.100.80	100 x 80	84	
124.150.100	150 x 100	35	
124.AC.100*	140 x 100	72	
124.AC.150*	192 x 150	20	

* Ceramic to PVC Adaptor







NOVADRAIN uPVC Drain Waste and Vent Fittings SCJ NON-PRESSURE

ORDER CODE	SIZE mm	CTN / BAG QTY	
125.65	65	300	 FLOOR FLANGE
125.80	80	250	
125.100	100	160	
127.80*	80	36	 FLEXIBLE PAN COLLAR UNSUITABLE FOR USE WITH P PANS
127.100**	100	36	
127.100A*	100	36	
127.100R***	100	1	
*Offset			
** Concentric			
*** Rubber Seal Ring only			
128.80	80	140	 SAFE WASTE TRAY
128.100	100	120	
129.80*	80	28	 INSPECTION PIPE M&F
129.100**	100	14	
*F&F			
**Threaded on one main way socket			
131.40	40	55 / 5	 WEATHER APRON
131.50	50	50 / 5	
131.65	65	90	
131.80	80	156	
131.100	100	100	
136.32	32	300 / 10	 ACCESS CAP AND BASE
136.40	40	260 / 10	
136.50	50	150 / 5	
136.80	80	80	
136.100	100	35	
136.150	150	12	
136C.100	100	85	
136C.150	150	24	
137.40	40	120/10	 PUSH-ON CAPS
137.50	50	100 / 10	
137.65	65	150 / 10	
137.80	80	160 / 10	
137.100	100	135	
137.150	150	68	
150.40	40	100 / 5	
150.50.40	50 x 40	50	
150.65	65	170	
150.80	80	162	
150.100	100	135	
150.150	150	56	
159.80.50P	80 x 50	32	 SQUAT FLOOR WASTE GULLY**
159.80.65P	80 x 65	28	
159.80.80P*	80 x 80	18	
159.100.50	100 x 50	28	
159.100.65	100 x 65	22	
*Plain floor waste gully (fixed)			
**Use only in conjunction with Iplex Boss Junctions			






NOVADRAIN uPVC Drain Waste and Vent Fittings SCJ NON-PRESSURE

ORDER CODE	SIZE mm	CTN / BAG QTY	
159.100	100	12	 <p>ADJUSTABLE GULLY TRAP*</p>
*Use only in conjunction with Iplex Boss Junctions			
166.40.40	40 x 40	250 / 5	 <p>CAP AND LINING</p>
166.50.40	50 x 40	65 / 5	
168.80 White PVC	80	120	 <p>SOCKET FLOOR GRATE</p>
168.80WH*	80	25	 <p>SCREW DOWN VINYL FLOOR SPIGOT BASE FLOOR GRATE</p>
168.80CP**	80	25	
168.100WH*	100	18	
168.100CP**	100	18	
*White PVC **Chrome plated PVC			
169.80*	80	200	 <p>SPIGOT BASE FLOOR GRATE</p>
169.80CP**	80	70	
*White PVC **Chrome plated Brass Grate			
172.100	100	66	 <p>FINISHING COLLAR</p>
172G.100 Grate Only Use in conjunction with 172.100 Finishing Collar	100	130	 <p>POP-OUT GRATE</p>
172P100 Use in conjunction with 172.100 Finishing Collar	100	30	 <p>POP-UP INSPECTION COVER</p>
174.80.50.40.88	80x(2x50)x(2x40) x88°	30	 <p>BOSS JUNCTION M & F*</p>
174.100.50.40.88	100x(3x50)x(1x40)x88°	16	
174.100.80.50.40.88	100x80x(2x50)x(2x40)x88°	24	
*Use only in conjunction with Iplex Squat Floor Gully and Adjustable Gully Trap			




NOVADRAIN uPVC Drain Waste and Vent Fittings SCJ NON-PRESSURE

ORDER CODE	SIZE mm	CTN / BAG QTY	
104.100.50.40.88	100x(3x50)x(1x40)x88°	12	 BOSS JUNCTION F & F*
*Use only in conjunction with Iplex Squat Floor Gully and Adjustable Gully Trap			
174.80.50.40.45D	80x(1x50)x(3x40)x 45	30	 DOUBLE BOSS JUNCTION M & F*
*Use only in conjunction with Iplex Squat Floor Gully and Adjustable Gully Trap			
176.100	100	18	 SIDE SLOPE SQUASH TOP (INLET ONLY)
177.100	100	28	 LEVEL INLET SQUASH TOP (INLET ONLY)
183.50	50	210	 VERMIN STOPPER
9145.80	80	1	 COPPER TO PVC SEAL RING
9145.100	100	1	
9145.150	150	1	
Compatible with NZS or BS Copper Tube			








SMART PRODUCTS

ORDER CODE	SIZE mm	CTN / BAG QTY	
D101SPAN	100	1	 SMARTPAN
D101SSEAL		1	 SMARTSEAL
D101SWASTE*	100	1	 SMARTWASTE
D101SWASTE.B	LID ONLY	1	
*Includes Lid			
D101STRAP	100 x 50	6	 SMARTRAP
D101STILE.2*		1	 SMARTILE
*Stainless steel			











UNI-TRAP Waste Traps

ORDER CODE	SIZE mm	CTN QTY	
160.40.32P	40 x 32	55	 PLAIN P TRAP
161.40.32S	40 x 45	45	 PLAIN S TRAP
162.40.32DW With dishwasher connection	40 x 32	10	 COMBINATION S & P (INCLUDES ADAPTA KIT)
ADAPTA KIT For use with 160 & 161 Uni-Traps	40 x 32	1	












PIPE CLIPS

ORDER CODE	SIZE mm	CTN / BAG QTY	
140.32	32	540 / 10	 DWV PIPE CLIP
140.40	40	400 / 10	
140.50	50	240 / 5	
140.65	65	80	
140H.80	80	250	
140H.100	100	200	 DWV HOLDERBAT (ALUMINIUM)
140H.150	150	100	
141.32	32	10	 DWV STANDARD KEY CLIP
141.40	40	10	
141.50	50	50	
141.80	80	50	
141.100	100	50	
142.40	40	100	 DWV SIDE HANGER KEY CLIP
142.50	50	100	
142.80	80	50	
142.100	100	120	
143.32	32	100	 DWV STAND OFF KEY CLIP
143.40	40	100	
143.50	50	100	
143.80	80	50	
143.100	100	25	
143.150	150	25	
841C.15	15	10 x 75 PER BAG	 COPPER PIPE CLIPIT COMPLETE WITH NAIL
841C.20	20	10 x 50 PER BAG	
841P.15	15	10 x 75 PER BAG	 POLYBUTYLENE CLIPIT COMPLETE WITH NAIL
841P.20	20	10 x 50 PER BAG	

NOVADRAIN uPVC Drain Waste and Vent Fittings RRJ NON-PRESSURE





ORDER CODE	SIZE mm	CTN QTY	
1501.100.45	100 x 45°	20	 PLAIN BEND F & F
1501.100.60	100 x 60°	18	
1501.100.88	100 x 88°	16	
1501.150.45	150 x 45°	6	
1501.150.88	150 x 88°	4	
1501.150A*	150 x 0-45°	6	
*Adjustable			
1571.100.5	100 x 5°	35	 PLAIN BEND M & F
1571.100.11	100 x 11°	34	
1571.100.15	100 x 15°	27	
1571.100.22	100 x 22°	24	
1571.100.30	100 x 30°	27	
1571.150.15	150 x 15°	10	
1571.150A*	150 x 0 - 45°	6	
*Adjustable			
1502.100.88	100 x 88°	12	 RAMP BEND
1503.100.45	100 x 45°	12	
1503.100.88	100 x 88°	11	 ACCESS BEND
1504.100.45	100 x 45°	8	
1504.100.88	100 x 88°	9	 PLAIN JUNCTION
1504.150.45	150 x 45°	2	
1574.150.45*	150 x 45°	2	
1574.150.88*	150 x 88°	2	
*M&F			
1504.150.100.45	150 x 100 x 45°	3	 REDUCING JUNCTION
1574.150.100.45*	150 x 100 x 45°	3	
1574.150.100.88*	150 x 100 x 88°	5	
*M&F			
1505.100.45LH	100 x 45°	6	 ACCESS JUNCTION
1505.100.45RH	100 x 45°	6	
1511S.80	80	45	 SLIP COUPLING
1511S.150	150	12	
1511.100	100	36	 COMBINATION LOOSE/ SLIP COUPLING
1511.150	150	12	
			 LOOSE COUPLING

NOVADRAIN uPVC Drain Waste and Vent Fittings RRJ NON-PRESSURE

ORDER CODE	SIZE mm	CTN QTY	
1511R.100	100	27	 REPAIR COUPLING
1514.100.88	100 x 88°	8	 SEPTIC TANK JUNCTION
1516.100	100	36	 FRESH AIR INLET
1523.100.80	100 x 80	30	 LEVEL INVERT TAPER
1523.150.100	150 x 100	15	
1527.100.150	100 x 150	18	 REVERSE LEVEL INVERT TAPER
1524.100	100	44	 PVC TO CERAMIC ADAPTER
1524.150	150	8	
1524.114.100	100 x 114	1	 PVC PRESSURE TO HOUSE DRAIN ADAPTER DN100
1525.100	100	36	 CERAMIC SOCKET TO PVC ADAPTER
1525.150	150	10	
1529.100	100	8	 INSPECTION PIPE M&F
1529.150	150	4	
1559.100	100	6	 GULLY TRAP
1575.100	100	10	 GULLY DISH
1575L.100*	100	48	

*Lid Only

NOVADRAIN uPVC Drain Waste and Vent Fittings RRJ NON-PRESSURE

ORDER CODE	SIZE mm	CTN QTY	
1575.100EXT Grate Included	100	8	 EXTENDED GULLEY DISH
1575.100R	100	5	 GULLEY DISH RISER
1575.200R	200	8	
1575.300R	300	4	
1580.100	100	1	 MANHOLE CONNECTOR
1580.150	150	1	
1588.100	100	2	 REFLUX VALVE

POLIdrain POLYETHYLENE DRAINAGE SYSTEM NON-PRESSURE

POLIdrain HDPE (PE80C) PIPE BLACK

ORDER CODE	SIZE mm x LENGTH m	PACK QTY
3700.50SDR26.5	50 x 5	1
3700.63SDR26.6	63 x 6	1
3700.75SDR26.6	75 x 6	1
3700.90SDR26.6	90 x 6	1
3700.110SDR26.6	110 x 6	1
3700.110SDR26.9	110 x 9	1
3700.160SDR26.6	160 x 6	1
3700.160SDR26.9	160 x 9	1
3700.200SDR26.12	200 x 12	1
3700.250SDR26.12	250 x 12	1
3700.315SDR26.12	315 x 12	1



PLAIN END

POLIdrain HDPE FITTINGS (USE WITH WAVISOLO ELECTROFUSION WELDING MACHINE ONLY)

ORDER CODE	SIZE mm	CTN QTY
921254	50	1
921274	63	1
921284	75	1
921294	90	1
921304	110	1
921334	160	1



SPIGOTTED BEND 45°

921258	50	1
921519	63	1
921528	75	1
921568	160	1



SPIGOTTED BEND 88.5°

921538	90	1
921548	110	1



LONG RADIUS
SPIGOTTED BEND 88.5°

922018	50	1
922028	63	1
922034	75	1
922040	90	1
922048	110	1
922074	160	1



SPIGOTTED
JUNCTION 45°

922026	63 x 50	1
922033	75 x 63	1
922045	110 x 63	1
922046	110 x 75	1
922047	110 x 90	1
922071	160 x 110	1
922075	200 x 110	1
922089	250 x 160	1
922095	315 x 160	1



SPIGOTTED
REDUCING JUNCTION
45°







910005	50	1
910006	63	1
910007	75	1
910009	90	1
910011	110	1
910016	160	1
910020	200	1
910025	250	1
910031	315	1



ELECTROFUSION
COUPLERS

POLIdrain POLYETHYLENE DRAINAGE SYSTEM NON-PRESSURE

POLIdrain HDPE FITTINGS (USE WITH WAVISOLO ELECTROFUSION WELDING MACHINE ONLY)

ORDER CODE	SIZE mm	CTN QTY	
924107	63	1	 EXPANSION SOCKET
924108	75	1	
924109	90	1	
924110	110	1	
924113	160	1	
924115	200	1	
924117	250	1	
924119	315	1	
924207	63	1	
924208	75	1	
924209	90	1	
924210	110	1	
924213	160	1	
PVC50.PE63	63 x 50	1	 PE TO PVC ADAPTOR (USE IN CONJUNCTION WITH PUSH FIT SOCKET)
PVC65.PE75	75 x 65	1	
PVC80.PE90	90 x 80	1	
920633	75 x 63	1	 SPIGOTTED ECCENTRIC REDUCER
920638	90 x 63	1	
920639	90 x 75	1	
920645	110 x 63	1	
920646	110 x 75	1	
920647	110 x 90	1	
920671	160 x 110	1	
920678	200 x 160	1	
920690	250 x 200	1	
920698	315 x 250	1	
924627	63	1	 SPIGOTTED END CAP
924628	75	1	
924629	90	1	
924630	110	1	
924633	160	1	
579004TC	48-114	1	 PIPE CUTTER
579008TC	159-254	1	
700160	50-160	1	 ELECTROFUSION WELDING MACHINE*
701315	50-315	1	

*Note: This electrofusion machine requires a reliable and consistent source of 230 volt 50Hz frequency electricity to function correctly. Variable input of voltage and/or frequency may seriously affect the operation of the machine. Portable generators must be chosen and operated to ensure that voltage and frequency are similar to mains power supply.

STORMWATER & ROADING SYSTEMS

**SUPERSTORM™
RESTRAIN
POLIdrain 17
NEXUS™ HI-WAY
STORMFIT
LAYLITE CULVERT**

uPVC STORMWATER DUCT NON PRESSURE APPLICATIONS ONLY - AS/NZS 1254


SUPERSTORM 4000 uPVC STORMWATER DUCT SOE & Z JOINT SN4

ORDER CODE	SIZE mm x LENGTH m	PACK QTY
700SN4.90.6 SOE	90 x 6	81
700SN4.100.6 SOE	100 x 6	67
700SN4.150.6 SOE	150 x 6	28
700SN4.175.6 SOE	175 x 6	20
700SN4.225.6 SOE	225 x 6	12



SOLVENT CEMENT JOINT

Z700SN4.150.6	150 x 6	28
Z700SN4.175.6	175 x 6	20
Z700SN4.225.6	225 x 6	12
Z700SN4.300.6	300 x 6	6
Z700SN4.375.6	375 x 6	6
Z700SN4.475.6	475 x 6	2/4




RUBBER RING JOINT

uPVC RESTRAIN NON-PRESSURE APPLICATIONS ONLY AS/NZS 1260 (For Trenchless Installation)

RESTRAIN 1600 uPVC THREADED JOINT DWV PIPE RRJ SN16

ORDER CODE	SIZE mm x LENGTH m	PACK QTY
RESTRAIN100.6*	100 x 6	67
RESTRAIN100.3*	100 x 3	67
RESTRAIN150.6*	150 x 6	28
RESTRAIN150.3*	150 x 3	28
RESTRAIN225.3*	225 x 3	12



TRENCHLESS JOINT RRJ

*Made to order

– For technical assistance call customer services 0800 800 262

– For pricing assistance call contract pricing 0800 800 283

POLIdrain 17 POLYETHYLENE DRAINAGE PIPE NON-PRESSURE

ORDER CODE	SIZE mm	LENGTH m
DWV110SDR17.12	110	12
DWV160SDR17.12	160	12
DWV180SDR17.12	180	12
DWV250SDR17.12	250	12



SDR 17
GREY PIPE

ROADING PRODUCTS

NEXUS HI-WAY ROAD DRAINAGE SYSTEM Twin Wall Smooth Bore Heavy Duty PE (Punched – channel at bottom)

(Complies with TRANSIT NZ SPECIFICATION TNZ F/2: 2000)

ORDER CODE	SIZE mm	LENGTH m
NEXUS1105HD	110	5
NEXUS110100HD	110	100
NEXUS1605HD	160	5
NEXUS16045HD	160	45
NEXUS2005HD	200	5



BLACK PIPE WITH RED STRIPE
SUPPLIED WITH PUSH FIT COUPLER

NEXUSFLO FILTER SOCK LAND DRAINAGE SYSTEM Twin Wall Smooth Bore PE (Punched – with Filter Sock)

ORDER CODE	SIZE mm	LENGTH m
NEXUS110100FS*	110	100
NEXUS16045FS	160	45

*Complies with TRANSIT NZ SPECIFICATION TNZ F/5: 2000



BLACK PIPE WITH BLUE STRIPE
SUPPLIED WITH PRE-APPLIED FILTER SOCK & COUPLER

NEXUS HI-WAY FILTER SOCK ROAD DRAINAGE SYSTEM Twin Wall Smooth Bore Heavy Duty PE

(Punched – channel at bottom – with Filter Sock)

(Complies with TRANSIT NZ SPECIFICATION TNZ F/2: 2000)

ORDER CODE	SIZE mm	LENGTH m
NEXUS110100HDFS	110	100
NEXUS16045HDFS	160	45



BLACK PIPE WITH RED STRIPE
SUPPLIED WITH PRE-APPLIED FILTER SOCK & COUPLER

LAYLITE CULVERT

LAYLITE CULVERT

(Complies with TRANSIT NZ SPECIFICATION TNZ F/2: 2000)

ORDER CODE	SIZE ID mm	LENGTH m	PACK
LL400STD	408	0.92	10
LL400.3.7	408	3.7	1
LL400.6.6	408	6.6	1



BLACK PIPE 1/4 TURN SOCKET










LAYLITE FLUME

ORDER CODE	SIZE ID mm	LENGTH m	PACK
LLF400.3.7	408	3.7	5
LLF600.3.8	600	3.8	5








BLACK FLUME

STORMFIT uPVC STORMWATER FITTINGS NON PRESSURE APPLICATIONS ONLY

ORDER CODE	SIZE mm	CTN QTY	
701.90.15	90 x 15°	110	 <p>PLAIN BEND F&F</p>
701.90.22	90 x 22°	110	
701.90.45	90 x 45°	80	
701.90.88	90 x 88°	60	
101.100.5	100 x 5°	42	
101.100.15	100 x 15°	35	
101.100.30	100 x 30°	35	
101.100.45	100 x 45°	32	
101.100.88	100 x 88°	19	
701.150.45	150 x 45°	12	
701.150.90	150 x 90°	8	
771.90.45M&F	90 x 45°	75	 <p>PLAIN BEND M&F</p>
103.100.45	100 x 45°	14	 <p>ACCESS BEND</p>
103.100.88	100 x 88°	13	
704.90.45**	90 x 45°	28	 <p>PLAIN JUNCTION</p>
704.90.88*	90 x 88°	40	
104.100.45***	100 x 45°	12	
104.100.88**	100 x 88°	14	
704.150.45**	150 x 45°	4	
704.150.90***	150 x 90°	5	
*Threaded on branch socket			
**Threaded on one main way socket			
***Threaded on one main way socket and branch socket			
704.150.100.45	150 x 100 x 45°	5	 <p>REDUCING JUNCTION</p>
105.100.45LH	100 x 45°	7	 <p>INSPECTION JUNCTION</p>
105.100.45RH	100 x 45°	7	
710.90*	90	140	 <p>STRAIGHT COUPLING</p>
110.100	100	45	
110.150	150	14	
* Threaded fitting			
711R.90	90	80	 <p>REPAIR COUPLING</p>
724.90.100	90 x 100	90	 <p>ADAPTOR</p>

STORMFIT uPVC STORMWATER FITTINGS NON PRESSURE APPLICATIONS ONLY

ORDER CODE	SIZE mm	CTN QTY	
129.100 *	100	14	 <p>INSPECTION PIPE M & F</p>
*Threaded on one main way socket			
736.90 (gasket sold separately)	90	100	 <p>SCREW CAP AND BASE</p>
136.100	100	35	
736C.90 *	90	160	
136C.100*	100	85	
736G.90**	90	1	
*Cap only			
**Gasket			
737.90	90	300	 <p>PUSH ON CAP</p>
137.100	100	135	
137.150	150	68	
765.90	90	36	 <p>KERB OUTLET</p>
765.100	100	24	
769.90	90	150	 <p>STORMWATER GRATE</p>
769.150.100	150 x 100	28	







CHAMBER SYSTEMS



TEGRA

INSPECTION CHAMBERS

TEGRA 315 INSPECTION CHAMBER

ORDER CODE	SIZE mm	QTY	
TEG315AC	300	1	 <p>COVER & ADJUSTABLE FRAME 323MM SQUARE</p>
TEG315RR	300	1	 <p>CHAMBER COVER RING</p>
TEG315RS160	300 x 160	1	 <p>RISER SHAFT</p>
TEG315CB100S	300 x 100 branch	1	 <p>CHAMBER BASE STRAIGHT</p>
TEG315CB100LH	300 x 100 branch	1	 <p>CHAMBER BASE LEFT HAND</p>
TEG315CB100RH	300 x 100 branch	1	 <p>CHAMBER BASE RIGHT HAND</p>



INSPECTION CHAMBERS

TEGRA 400 INSPECTION CHAMBER

ORDER CODE	SIZE mm	QTY
TEG400AC*	400	1

*with cast iron lid

TEG400TA	400 x 315	1
----------	-----------	---



ACCESS COVER
complete with
315 x 600mm RISER




TELESCOPIC ADAPTER

TEG400RS300	400 x 300	1
TEG400RS1200	400 x 1200	1
TEG400RS2200	400 x 2200	1




RISER SHAFT

TEG400CB150S	400 x 150	1
--------------	-----------	---



CHAMBER BASE
STRAIGHT

TEG400CB150M	400 x 150	1
--------------	-----------	---



CHAMBER BASE MULTI



PRESSURE SYSTEMS

**APOLLO PVC-O
NOVAKEY™
WHITE RHINO™
BLUE RHINO™
BLUE BRUTE
BLUELINE
POLIPLEX**

APOLLO PVC-O Pressure Pipe Metric Pipe Series 1, AS 4441(INT)

APOLLO PN10 (1000kPa, 145 PSI)


ORDER CODE	SIZE mm x LENGTH m	PACK QTY
Z880.100PN10.6	100 x 6	50
Z880.150PN10.6	150 x 6	28
Z880.200PN10.6	200 x 6	15
Z880.300PN10.6	300 x 6	6



RUBBER RING JOINT

APOLLO PN12.5 (1250kPa, 181 PSI)

ORDER CODE	SIZE mm x LENGTH m	PACK QTY
Z880.100PN12.5.6	100 x 6	50
Z880.150PN12.5.6	150 x 6	28
Z880.200PN12.5.6	200 x 6	15
Z880.300PN12.5.6	300 x 6	6



RUBBER RING JOINT

APOLLOBLUE PVC-O Pressure Pipe CIOD Series 2, AS 4441 (INT)

APOLLOBLUE PN12.5 (1250kPa, 181 PSI)

ORDER CODE	SIZE mm x LENGTH m	PACK QTY
1880.100PN12.5.6	100 x 6	32
1880.150PN12.5.6	150 x 6	24
1880.200PN12.5.6	200 x 6	15
1880.250PN12.5.6	250 x 6	12



RUBBER RING JOINT

APOLLOBLUE PN16 (1600kPa, 232 PSI)

ORDER CODE	SIZE mm x LENGTH m	PACK QTY
1880.100PN16.6	100 x 6	32
1880.150PN16.6	150 x 6	24
1880.200PN16.6	200 x 6	15
1880.250PN16.6	250 x 6	12



RUBBER RING JOINT

Note – APOLLO and APOLLOBLUE PVC-O Pressure Pipes should not be used in any solvent joint application until notified by Iplex Pipelines


– For technical assistance call customer services 0800 800 262

NOVAKEY uPVC Pressure Pipe Metric Pipe Series 1, AS/NZS 1477

NOVAKEY PN6 (CLASS B, 600kPa, 87PSI)

ORDER CODE	SIZE mm x LENGTH m	PACK & BDLE QTY
800.40PN6.6	40 x 6	225 / 5*
800.50PN6.6	50 x 6	123
800.65PN6.6	65 x 6	56
800.80PN6.6	80 x 6	60
800.100PN6.6	100 x 6	50
800.125PN6.6	125 x 6	32
800.150PN6.6	150 x 6	28
800.175PN6.6	175 x 6	20
800.200PN6.6	200 x 6	15
800.225PN6.6	225 x 6	12
800.250PN6.6	250 X 6	12
800.300PN6.6	300 x 6	6
800.375PN6.6	375 x 6	6
800.450PN6.6	450 x 6	2/4

*This bundle size is the minimum order quantity
Z Joint Rings included in price




SOLVENT CEMENT & RUBBER RING JOINT

NOVAKEY PN9 (CLASS C, 900kPa, 130PSI)

ORDER CODE	SIZE mm x LENGTH m	PACK QTY
800.50PN9.6	50 x 6	123
800.65PN9.6	65 x 6	56
800.80PN9.6	80 x 6	60
800.100PN9.6**	100 x 6	50
800.150PN9.6**	150 x 6	28
800.200PN9.6**	200 x 6	15

**Availability subject to conversion to PVC-O.



SOLVENT CEMENT & RUBBER RING JOINT

NOVAKEY PN12 (CLASS D, 1200kPa, 173PSI)

ORDER CODE	SIZE mm x LENGTH m	PACK & BDLE QTY
800.32PN12.6	32 x 6	210 / 10*
800.40PN12.6	40 x 6	225 / 5*
800.50PN12.6	50 x 6	123
800.65PN12.6	65 x 6	56
800.80PN12.6	80 x 6	60
800.100PN12.6**	100 x 6	50
800.150PN12.6**	150 x 6	28
800.200PN12.6**	200 x 6	15

*These bundle sizes are the minimum order quantity

**Availability subject to conversion to PVC-O.

Z Joint Rings included in price



SOLVENT CEMENT & RUBBER RING JOINT

NOVAKEY PN15 (CLASS E, 1500kPa, 217PSI)

ORDER CODE	SIZE mm x LENGTH m	PACK & BDLE QTY
800.15PN15.6	15 x 6	650 / 10*
800.20PN15.6	20 x 6	500 / 10*
800.25PN15.6	25 x 6	320 / 10*
800.32PN15.6	32 x 6	210 / 10*
800.40PN15.6	40 x 6	225 / 5*
800.50PN15.6	50 x 6	123
800.65PN15.6	65 x 6	56
800.80PN15.6	80 x 6	60
800.100PN15.6	100 x 6	50
800.150PN15.6	150 x 6	28
800.200PN15.6	200 x 6	15

*These bundle sizes are the minimum order quantity

Z Joint Rings included in price




SOLVENT CEMENT & RUBBER RING JOINT

NOVAKEY PN18 (CLASS F, 1800kPa, 260PSI)

ORDER CODE	SIZE mm x LENGTH m	PACK & BDLE QTY
800.20PN18.6	20 x 6	500 / 10*
800.32PN18.6	32 x 6	210 / 10*
800.50PN18.6	50 x 6	123
800.80PN18.6	80 x 6	60

*These bundle sizes are the minimum order quantity



SOLVENT CEMENT JOINT

WHITE RHINO mPVC PRESSURE PIPE Metric Pipe Series 1, AS/NZ 4765

WHITE RHINO PN6 (600kPa, 87PSI)

ORDER CODE	SIZE mm x LENGTH m	PACK QTY
850.100PN6.6	100 x 6	50
850.125PN6.6	125 x 6	32
850.150PN6.6	150 x 6	28
850.175PN6.6	175 x 6	20
850.200PN6.6	200 x 6	15
850.225PN6.6	225 x 6	12

Z Joint Rings included in price



SOLVENT CEMENT & RUBBER RING JOINT

WHITE RHINO PN9 (900kPa, 130PSI)

ORDER CODE	SIZE mm x LENGTH m	PACK QTY
850.100PN9.6**	100 x 6	50
850.125PN9.6	125 x 6	32
850.150PN9.6**	150 x 6	28
850.175PN9.6	175 x 6	20
850.200PN9.6**	200 x 6	15
850.225PN9.6	225 x 6	12
850.250PN9.6	250 x 6	12
850.300PN9.6	300 x 6	6
850.375PN9.6	375 x 6	6
850.450PN9.6	450 x 6	2/4

**Availability subject to conversion to PVC-O.

Z Joint Rings included in price.



SOLVENT CEMENT & RUBBER RING JOINT

WHITE RHINO PN12 (1200kPa, 173PSI)

ORDER CODE	SIZE mm x LENGTH m	PACK QTY
850.100PN12.6**	100 x 6	50
850.125PN12.6	125 x 6	32
850.150PN12.6**	150 x 6	28
850.175PN12.6	175 x 6	20
850.200PN12.6**	200 x 6	15
850.225PN12.6	225 x 6	12
850.250PN12.6	250 x 6	12
850.300PN12.6	300 x 6	6
850.375PN12.6	375 x 6	6
850.450PN12.6	450 x 6	2/4

**Availability subject to conversion to PVC-O.

Z Joint Rings included in price



SOLVENT CEMENT & RUBBER RING JOINT

WHITE RHINO PN15 (1500kPa, 217PSI)

ORDER CODE	SIZE mm x LENGTH m	PACK QTY
850.100PN15.6	100 x 6	50
850.125PN15.6	125 x 6	32
850.150PN15.6	150 x 6	28
850.175PN15.6	175 x 6	20
850.200PN15.6	200 x 6	15

Z Joint Rings included in price



SOLVENT CEMENT & RUBBER RING JOINT

860.50	50	1 x 1
860.65	65	1 x 1
860.80	80	1 x 1
860.100	100	1 x 1
860.125	125	1 x 1
860.150	150	1 x 1
860.175	175	1 x 1
860.200	200	1 x 1
860.225	225	1 x 1
860.250	250	1 x 1
860.300	300	1 x 1
860.375	375	1 x 1
860.450	450	1 x 1



RUBBER SEALING RING FOR METRIC SERIES Z JOINT
NOVAKEY & WHITE RHINO METRIC PIPE

No discount on rings

BLUE BRUTE uPVC Pressure Pipe CIOD Series 2, AS/NZ 1477

BLUE BRUTE PN12 (CLASS D, 1200kPA, 173PSI)

ORDER CODE	SIZE mm x LENGTH m	PACK QTY
1800.100PN12.6 RRJ**	100 x 6	32
1800.150PN12.6 RRJ**	150 x 6	18
1800.200PN12.6 RRJ**	200 x 6	15
1800.250PN12.6 RRJ	250 x 6	12

**Availability subject to conversion to PVC-O.
Rubber rings included in price




RUBBER RING JOINT

BLUE BRUTE PN18 (CLASS F, 1800kPA, 260PSI)

ORDER CODE	SIZE mm x LENGTH m	PACK QTY
1800.100PN18.6 RRJ	100 x 6	32
1800.150PN18.6 RRJ	150 x 6	18

Rubber Rings included in price




RUBBER RING JOINT

BLUE RHINO mPVC Pressure Pipe CIOD Series 2, AS/NZ 4765

BLUE RHINO PN12 (CLASS D, 1200kPA, 173PSI)

ORDER CODE	SIZE mm x LENGTH m	PACK QTY
1850.100PN12.6 RRJ**	100 x 6	32
1850.150PN12.6 RRJ**	150 x 6	18
1850.200PN12.6 RRJ**	200 x 6	15
1850.250PN12.6 RRJ	250 x 6	12
1850.300PN12.6 RRJ	300 x 6	6

**Availability subject to conversion to PVC-O.
Rubber Rings included in price



RUBBER RING JOINT

BLUE RHINO PN16 (1600kPA, 232PSI)

ORDER CODE	SIZE mm x LENGTH m	PACK QTY
1850.100PN16.6RRJ**	100 x 6	32
1850.150PN16.6RRJ**	150 x 6	18

**Availability subject to conversion to PVC-O.
Rubber Rings included in price



RUBBER RING JOINT

1860.100	100	1 x 1
1860.150	150	1 x 1
1860.200	200	1 x 1








No discount on rings










RUBBER SEALING RING
FOR CIOD SERIES
BLUE BRUTE AND
BLUE RHINO PIPE

NOVAKEY uPVC PRESSURE PIPE FITTINGS COMPATIBLE WITH PVC PRESSURE PIPE METRIC SERIES 1

Note: The Bag Quantity shown is the minimum order quantity for 15mm to 50mm pressure fittings

ORDER CODE	SIZE mm	CTN / BAG QTY	
801.15.90	15	440 / 10	 PLAIN 90° ELBOW
801.20.90	20	250 / 10	
801.25.90	25	120 / 10	
801.32.90	32	80 / 10	
801.40.90	40	50 / 10	
801.50.90	50	25 / 5	
801.65.90	65	15	
801.80.90	80	9	
801.100.90	100	5	
801.125.90	125	5	
801.150.90	150	2	
801.200.90	200	1	
801.15.45	15	400 / 10	 PLAIN 45° ELBOW
801.20.45	20	260 / 10	
801.25.45	25	150 / 10	
801.32.45	32	80 / 10	
801.40.45	40	50 / 10	
801.50.45	50	25 / 5	
801.65.45	65	5	
801.80.45	80	12	
801.100.45	100	6	
801.125.45	125	6	
801.150.45	150	2	
801.200.45	200	1	
804.15	15	300 / 10	 PLAIN 90° TEE
804.20	20	150 / 10	
804.25	25	100 / 10	
804.32	32	60 / 10	
804.40	40	30 / 10	
804.50	50	20 / 5	
804.65	65	12	
804.80	80	6	
804.100	100	4	
804.125	125	6	
804.150	150	1	
804.200	200	1	
805.20.15	20 x 15	150 / 10	 PLAIN 90° REDUCING TEE
805.25.20	25 x 20	90 / 10	
805.32.25	32 x 25	60 / 10	
805.40.32	40 x 32	80 / 20	
805.50.40	50 x 40	25 / 5	
805.80.50	80 x 50	9	
805.100.50	100 x 50	12	
806.15*	15	500 / 10	 FAUCET COUPLING
806.20*	20	320 / 10	
806.25*	25	180 / 10	
806.32	32	120 / 10	
806.40*	40	80 / 10	
806.50	50	50 / 5	
806.80	80	22	
806.100	100	12	
* Also a reducing faucet spigot			
807.15	15	280 / 10	 FAUCET 90° TEE
807.20	20	200 / 10	
807.25	25	80 / 10	
808.15.90	15	380 / 10	 FAUCET 90° ELBOW
808.20.90	20	200 / 10	
808.25.90	25	120 / 10	
808.32.90	32	70 / 10	

NOVAKEY uPVC PRESSURE PIPE FITTINGS COMPATIBLE WITH PVC PRESSURE PIPE METRIC SERIES 1

ORDER CODE	SIZE mm	CTN / BAG QTY	
809.15	15	60	 <p>COMPRESSION COUPLING (PN12)</p>
809.20	20	45	
809.25	25	30	
809.32	32	24	
809.40	40	15	
809.50	50	9	
810.15	15	420 / 10	 <p>PLAIN COUPLER</p>
810.20	20	400 / 10	
810.25	25	250 / 10	
810.32	32	140 / 10	
810.40	40	80 / 10	
810.50	50	50 / 5	
810.65	65	28	
810.80	80	18	
810.100	100	10	
810.150	150	2	
811.15	15	160 / 20	 <p>SOCKET UNION</p>
811.20	20	140 / 20	
811.25	25	100 / 20	
811.32	32	60 / 10	
811.40	40	45 / 5	
811.50	50	30 / 5	
These fittings can be purchased individually.			
813.15	15	550 / 10	 <p>VALVE SOCKET</p>
813.20	20	320 / 10	
813.25	25	200 / 10	
813.32	32	130 / 10	
813.40	40	100 / 10	
813.50	50	50 / 5	
813.65*	65	40	
813.80	80	30	
813.100	100	16	
*PN12			
817.15	15	650 / 10	 <p>VALVE SPIGOT</p>
817.20	20	350 / 10	
817.25	25	240 / 10	
817.32	32	140 / 10	
817.40	40	110 / 10	
817.50	50	60 / 5	
818.20.15	20 x 15	800 / 10	 <p>THREADED BUSH</p>
818.25.20	25 x 20	400 / 10	
823.20.15	20 x 15	380 / 10	 <p>REDUCING SOCKET</p>
823.25.20	25 x 20	260 / 10	
823.32.25	32 x 25	120 / 10	
823.40.32	40 x 32	70 / 10	
823.50.40	50 x 40	60 / 5	
823.65.50	65 x 50	48	
823.80.50	80 x 50	30	
823.80.65	80 x 65	18	
823.100.80	100 x 80	16	
823.125.100	125 x 100	6	
823.150.100	150 x 100	4	

NOVAKEY uPVC PRESSURE PIPE FITTINGS COMPATIBLE WITH PVC PRESSURE PIPE METRIC SERIES 1

ORDER CODE	SIZE mm	CTN / BAG QTY
824.20.15	20 x 15	1000 / 10
824.25.15	25 x 15	750 / 10
824.25.20	25 x 20	600 / 10
824.32.25	32 x 25	370 / 10
824.40.25	40 x 25	280 / 10
824.40.32	40 x 32	280 / 10
824.50.40	50 x 40	120 / 5
824.65.50	65 x 50	90
824.80.50	80 x 50	55
824.80.65	80 x 65	100
824.100.50	100 x 50	30
824.100.80	100 x 80	30
824.125.100	125 x 100	20
824.150.100	150 x 100	9
824.150.125	150 x 125	9
825.50	50	30
825.65	65	20
825.80	80	12
825.100	100	9
825.150	150	4
NB: Holes must be drilled to suit the application. Same method can be used with some non-British standard flanges.		
826.50	50	40
826.65	65	42
826.80	80	25
826.100	100	14
826.125	125	8
826.150	150	4
826.175*	175	6
826.200*	200	6
826.225*	225	3
826.300*	300	3
*Rated PN10		
827.50	50	1
827.65	65	1
827.80	80	1
827.100	100	1
827.125	125	1
827.150	150	1
827.175	175	1
827.200	200	1
827.225	225	1
827.300	300	1
830.15	15	750 / 10
830.20	20	500 / 10
830.25	25	300 / 10
830.32	32	220 / 10
830.40	40	160 / 10
830.50	50	80 / 5
830.65	65	48
830.80	80	36
830.100	100	20
830.125	125	12
830.150	150	5
837.15	15	900 / 10
837.20	20	700 / 10
837.25	25	500 / 10
837.32	32	120 / 10
837.40	40	100 / 10
837.50	50	50 / 5
837.80	80	40
837.100	100	24



REDUCING BUSH



FULL FACE FLANGE



STUB FLANGE



METAL BACKING RING FOR 826 FLANGE DRILLED TO TABLE E




PLAIN END CAP



THREADED END PLUG

NOVAKEY uPVC PRESSURE PIPE FITTINGS COMPATIBLE WITH PVC PRESSURE PIPE METRIC SERIES 1

ORDER CODE	SIZE mm	CTN / BAG QTY
840.15	15	900 / 10
840.20	20	700 / 10
840.25*	25	200
840.32*	32	100
840.40*	40	100
840.50*	50	200 / 25
*Product may differ from drawing		
842.50	50	1
842.65	65	1
842.80	80	1
842.100	100	1
842.150	150	1
845.50	50	1
845.65	65	1
845.80	80	1
845.100	100	1
845.125	125	1
845.150	150	1
845.175	175	1
845.200	200	1
845.225	225	1
845.300	300	1



**Maximum working pressure size range:
(Moulded PVC Fittings)**

1-50mm 1800kPa, PN18
 65-125mm 1500kPa, PN15
 150-200mm 1200kPa, PN12

This is a general guide only. If in doubt, check the pressure rating on the fitting or contact your local Iplex Pipelines office.

POLIPLEX BLUELINE

PE80B (MDPE) PN 12.5 MEDIUM DENSITY POLYETHYLENE PRESSURE PIPE AS/NZS 4130

ORDER CODE	SIZE mm	COIL LENGTH m
2500.20PN12.5.25	20	25
2500.20PN12.5.50	20	50
2500.20PN12.5.100	20	100
2500.25PN12.5.25	25	25
2500.25PN12.5.50	25	50
2500.25PN12.5.100	25	100
2500.32PN12.5.25	32	25
2500.32PN12.5.50	32	50
2500.32PN12.5.100	32	100
2500.40PN12.5.25	40	25
2500.40PN12.5.50	40	50
2500.40PN12.5.100	40	100
2500.50PN12.5.25	50	25
2500.50PN12.5.50	50	50
2500.50PN12.5.100	50	100
2500.63PN12.5.25	63	25
2500.63PN12.5.50	63	50
2500.63PN12.5.100	63	100



PN12.5 (1250kPa, 181PSI)
BLUE PIPE WITH BLACK
TRI STRIPE

POLIPLEX 80B PE80B (MDPE) MEDIUM DENSITY POLYETHYLENE PRESSURE PIPE AS/NZS 4130

ORDER CODE	SIZE mm	LENGTH m
2600.160PN8.12B	160	12
2600.180PN8.12B	180	12
2600.225PN8.12B	225	12
2600.250PN8.12B	250	12
2600.315PN8.12B	315	12
2600.355PN8.12B	355	12
2600.400PN8.12B	400	12
2600.450PN8.12B	450	12
2600.125PN12.5.12BUTS	125	12
2600.180PN12.5.12BUTS	180	12
2600.250PN12.5.12BUTS	250	12
2600.315PN12.5.12BUTS	315	12
2600.125PN12.5.100BUTS	125	100



SDR 17
PN 8 (800 kPa, 116 PSI)
BLACK PIPE



SDR11
PN 12.5 (1250kPa, 181PSI)
BLUE PIPE WITH BLACK
TRI STRIPE



SDR11
PN12.5 (1250kPa, 181PSI)
BLUE PIPE WITH BLACK
TRI STRIPE

Note: For all products 12 metre lengths or longer, freight costs are POA.


POLIPLEX 100 PE100 (HPPE) HIGH PERFORMANCE POLYETHYLENE PRESSURE PIPE AS/NZS 4130

ORDER CODE	SIZE mm	LENGTH m
3500.110PN10.12B	110	12
3500.160PN10.6B	160	6
3500.160PN10.12B	160	12



SDR 17
PN10 (1000 kPa, 150 PSI)
BLACK PIPE

3500.63PN16.100 Blue	63	100 COIL
3500.125PN16.12 Blue	125	12



SDR 11
PN16 (1600 kPa, 232 PSI)
BLUE PIPE

Note: For all products 12 metre lengths or longer, freight costs are POA.

Polyethylene Pipe Dimensions to AS 4130 Series 1 (mm)


PE 80B MDPE (HDS 6.3 Mpa) PE 80C HDPE (HDS 6.3 Mpa)			PN 3.2		PN 4		-		PN 6.3		PN 8		PN 10		PN 12.5	
PE 100 HPPE (HDS 8.0 Mpa)			PN 4		-		PN 6.3		PN 8		PN 10		PN 12.5		PN 16	
Standard Dimension Ratio			SDR 41		SDR 33		SDR 26		SDR 21		SDR 17		SDR 13.6		SDR 11	
DN	Pipe OD		Mean wall thickness	Mean ID	Mean wall thickness	Mean ID	Mean wall thickness	Mean ID	Mean wall thickness	Mean ID	Mean wall thickness	Mean ID	Mean wall thickness	Mean ID	Mean wall thickness	Mean ID
	min	max														
90	90.0	90.9	2.4	85.7	3.0	84.5	3.7	83.0	4.6	81.3	5.7	79.0	7.0	76.5	8.7	73.1
110	110.0	111.0	2.9	104.7	3.6	103.2	4.6	101.3	5.6	99.2	7.0	96.5	8.6	93.3	10.5	89.4
125	125.0	126.2	3.3	118.9	4.1	117.3	5.1	115.4	6.3	112.9	7.8	109.9	9.7	106.1	12.0	101.5
160	160.0	161.5	4.2	152.3	5.2	150.4	6.6	147.6	8.1	144.5	10.0	140.7	12.4	135.9	15.4	130.0
180	180.0	181.7	4.7	171.5	5.9	169.2	7.3	166.3	9.1	162.7	11.3	158.3	14.0	152.8	17.3	146.3
200	200.0	201.8	5.2	190.5	6.6	187.7	8.1	184.6	10.1	180.6	12.5	175.8	15.5	169.9	19.2	162.5
225	225.0	227.1	5.8	214.4	7.3	211.5	9.1	207.9	11.4	203.3	14.1	197.8	17.5	191.0	21.6	182.9
250	250.0	252.3	6.6	238.0	8.1	234.9	10.1	230.9	12.5	226.1	15.6	220.0	19.4	212.4	23.9	203.4
280	280.0	282.6	7.3	266.7	9.1	263.1	11.3	258.7	14.1	253.0	17.5	246.3	21.7	237.9	26.7	227.8
315	315.0	317.9	8.1	300.2	10.2	296.0	12.8	290.9	15.8	284.9	19.7	277.1	24.4	267.6	30.1	256.3
355	355.0	358.2	9.2	338.2	11.5	333.6	14.3	327.9	17.8	320.9	22.2	311.1	27.5	301.6	33.9	288.8
400	400.0	403.6	10.3	380.0	13.0	375.8	16.1	369.6	20.1	361.5	24.9	351.9	30.9	339.9	38.2	325.4
450	450.0	454.1	11.6	428.9	14.5	423.0	18.1	415.8	22.6	406.8	28.1	395.9	34.8	382.4	43.0	366.1
500	500.0	504.5	13.0	476.3	16.1	470.0	20.1	462.0	25.1	452.0	31.1	440.0	38.7	424.9	47.7	406.8
560	560.0	565.0	14.4	533.7	18.1	526.3	22.5	517.5	28.1	506.4	34.9	492.7	43.3	475.9	53.4	455.8
630	630.0	635.7	16.2	600.4	20.3	592.2	25.4	582.1	31.5	569.8	39.2	554.4	48.7	535.5	60.1	512.6
710	710.0	716.4	18.3	676.5	22.9	667.3	28.6	655.9	35.6	641.9	44.3	624.6	54.9	603.4	-	-
800	800.0	807.2	20.6	762.3	25.8	752.0	32.2	739.2	40.1	723.4	49.8	703.9	61.8	680.0	-	-

AGRICULTURAL SYSTEMS

**ALKATHENE
NOVATUBE
EFFLUENT PIPE
GREENLINE
REDLINE™
RURAL BLACK
BLACKLINE PIPE
BLACKLINE FITTINGS
PLASSON FITTINGS
NEXUSFLO™
NEXUSCOIL™
NOVAFLO™
NOVACOIL
NEXUS™ CULVERT
FARMTUFF™
LAYLITE CULVERT
LAYLITE FLUME
LAYLITE VALVE BOX**

ALKATHENE Low Density Polyethylene Pressure Pipe

ORDER CODE	SIZE mm	PRESSURE RATING Bar	COIL LENGTH m
300.15.25	15	12.5	25
300.15.50	15	12.5	50
300.15.100	15	12.5	100
300.15.200	15	12.5	200
300.20.25	20	11	25
300.20.50	20	11	50
300.20.100	20	11	100
300.20.200	20	11	200
300.25.25	25	8.5	25
300.25.50	25	8.5	50
300.25.100	25	8.5	100
300.25.200	25	8.5	200
300.32.25	32	7	25
300.32.50	32	7	50
300.32.100	32	7	100
300.32.200	32	7	200
300.40.25	40	6	25
300.40.50	40	6	50
300.40.100	40	6	100
300.40.200	40	6	200
300.50.25	50	5	25
300.50.50	50	5	50
300.50.100	50	5	100



BLACK PIPE

IRRIPOD PIPE Low Density Polyethylene Pasture Irrigation Pipe


ORDER CODE	SIZE mm	PRESSURE RATING Bar	COIL LENGTH m
IRRIPOD45100	45	5	100
IRRIPOD45200	45	5	200



BLACK PIPE

NOVATUBE Horticultural Lateral Tube

ORDER CODE	SIZE mm	PRESSURE RATING Bar	COIL LENGTH m
350.13.100	13	5	100
350.13.400	13	5	400
350.16.100	16	5	100
350.16.400	16	5	400
350.19.100	19	5	100
350.19.300	19	5	300
350.25.100	25	5	100
350.25.200	25	5	200



BLACK PIPE

EFFLUENT Polyethylene Pipe

EFFLUENT PN5

ORDER CODE	SIZE mm	PRESSURE RATING Bar	COIL LENGTH m
2230.45PN5.100	45	5	100
2230.45PN5.200	45	5	200

EFFLUENT PN6.3

ORDER CODE	SIZE mm	PRESSURE RATING Bar	COIL LENGTH m
2200.63PN6.3.50	63	6.3	50
2200.63PN6.3.100	63	6.3	100
2200.90PN6.3.50	90	6.3	50
2200.90PN6.3.100	90	6.3	100

EFFLUENT PN8

ORDER CODE	SIZE mm	PRESSURE RATING Bar	COIL LENGTH m
2200.75PN8.50	75	8	50
2200.75PN8.100	75	8	100
2200.90PN8.50	90	8	50
2200.90PN8.100	90	8	100
2200.110PN8.50	110	8	50
2200.110PN8.100	110	8	100



BLACK PIPE WITH LILAC STRIPE

GREENLINE Polyethylene Pressure Pipe

ORDER CODE	NOMINAL SIZEmm	PRESSURE RATING Bar	COIL LENGTH m
370.20PN9.50	20	9	50
370.20PN9.100	20	9	100
370.20PN9.200	20	9	200
370.25PN8.50	25	8	50
370.25PN8.100	25	8	100
370.25PN8.200	25	8	200
370.32PN8.50	32	8	50
370.32PN8.100	32	8	100
370.32PN8.200	32	8	200
370.40PN6.3.50	40	6.3	50
370.40PN6.3.100	40	6.3	100
370.40PN6.3.200	40	6.3	200
370.50PN6.3.50	50	6.3	50
370.50PN6.3.100	50	6.3	100
370.50PN6.3.200	50	6.3	200
370.63PN6.3.50	63	6.3	50
370.63PN6.3.100	63	6.3	100
370.63PN6.3.200	63	6.3	200



BLACK PIPE WITH GREEN TRI STRIPE

REDLINE Polyethylene Pressure Pipe

ORDER CODE	NOMINAL SIZEmm	PRESSURE RATING Bar	COIL LENGTH m
360.20PN12.5.50	20	12.5	50
360.20PN12.5.100	20	12.5	100
360.20PN12.5.200	20	12.5	200
360.25PN12.5.50	25	12.5	50
360.25PN12.5.100	25	12.5	100
360.25PN12.5.200	25	12.5	200
360.32PN9.50	32	9	50
360.32PN9.100	32	9	100
360.32PN9.200	32	9	200
360.40PN9.50	40	9	50
360.40PN9.100	40	9	100
360.40PN9.200	40	9	200
360.50PN9.50	50	9	50
360.50PN9.100	50	9	100
360.50PN9.200	50	9	200
360.63PN9.50	63	9	50
360.63PN9.100	63	9	100
360.63PN9.200	63	9	200



BLACK PIPE WITH RED TRI STRIPE

RURAL BLACK Polyethylene Pressure Pipe

ORDER CODE	NOMINAL SIZE mm	PRESSURE RATING Bar	COIL LENGTH m
340.32PN12.5.50	32	12.5	50
340.32PN12.5.100	32	12.5	100
340.32PN12.5.200	32	12.5	200
340.40PN12.5.50	40	12.5	50
340.40PN12.5.100	40	12.5	100
340.40PN12.5.200	40	12.5	200
340.50PN12.5.50	50	12.5	50
340.50PN12.5.100	50	12.5	100
340.50PN12.5.200	50	12.5	200
340.63PN12.5.50	63	12.5	50
340.63PN12.5.100	63	12.5	100
340.63PN12.5.200	63	12.5	200
340.75PN12.5.50	75	12.5	50
340.75PN12.5.100	75	12.5	100
340.90PN12.5.50	90	12.5	50
340.90PN12.5.100	90	12.5	100
340.110PN12.5.50	110	12.5	50
340.110PN12.5.100	110	12.5	100




BLACK PIPE

BLACKLINE High Performance Polyethylene Pressure Pipe

BLACKLINE PN16


ORDER CODE	NOMINAL SIZEmm	PRESSURE RATING Bar	COIL LENGTH m
3500.25PN16.25BTS	25	16	25
3500.25PN16.50BTS	25	16	50
3500.25PN16.100BTS	25	16	100
3500.32PN16.25BTS	32	16	25
3500.32PN16.50BTS	32	16	50
3500.32PN16.100BTS	32	16	100
3500.40PN16.25BTS	40	16	25
3500.40PN16.50BTS	40	16	50
3500.40PN16.100BTS	40	16	100
3500.50PN16.25BTS	50	16	25
3500.50PN16.50BTS	50	16	50
3500.50PN16.100BTS	50	16	100
3500.63PN16.25BTS	63	16	25
3500.63PN16.50BTS	63	16	50
3500.63PN16.100BTS	63	16	100
3500.75PN16.50BTS	75	16	50
3500.75PN16.100BTS	75	16	100
3500.90PN16.50BTS	90	16	50
3500.90PN16.100BTS	90	16	100
3500.110PN16.50BTS	110	16	50
3500.110PN16.100BTS	110	16	100



BLACK PIPE WITH
BLUE TRI STRIPE

BLACKLINE HP PN20


ORDER CODE	NOMINAL SIZEmm	PRESSURE RATING Bar	COIL LENGTH m
3500.63PN20.50B	63	20	50
3500.63PN20.100B	63	20	100
3500.90PN20.50B	90	20	50
3500.90PN20.100B	90	20	100
3500.110PN20.50B	110	20	50
3500.110PN20.100B	110	20	100



BLACK PIPE

BLACKLINE HP PN25

ORDER CODE	NOMINAL SIZEmm	PRESSURE RATING Bar	COIL LENGTH m
3500.63PN25.50B	63	25	50
3500.63PN25.100B	63	25	100
3500.90PN25.50B	90	25	50
3500.90PN25.100B	90	25	100
3500.110PN25.50B	110	25	50
3500.110PN25.100B	110	25	100



BLACK PIPE

BLACKLINE HP DUCTILE IRON (DI) FITTINGS

For use with Blackline PN20 and PN25 Pipe

ORDER CODE	SIZEmm	QUANTITY
DIC63PE	63mm	1
DIC90PE	90mm	1
DIC110PE	110mm	1



DUCTILE IRON COUPLING
PN25

DITC63PE	63mm	1
DITC90PE	90mm	1
DITC110PE	110mm	1



DUCTILE IRON
TRANSITION COUPLING
PN25

SSMTA50	63mm x 50mm BSP	1
SSMTA80	90mm x 80mm BSP	1
SSMTA100	110mm x 100mm BSP	1



STAINLESS STEEL MALE
THREADED ADAPTOR
PN25










ORDER CODE	SIZEmm	PCD (mm)	QUANTITY
DIUFA50	63mm x 50mm flange	120-125	1
DIUFA80	90mm x 80mm flange	150-160	1
DIUFA100	110mm x 100mm Flange	175-191	1



DUCTILE IRON
UNIVERSAL FLANGED
ADAPTOR PN25






PLASSON COMPRESSION FITTINGS (20-110mm: 16 Bar)

For use with Greenline, Redline, Rural Black, Blueline, Blackline PN16 and Effluent Pipe

ORDER CODE	SIZE mm	CTN / BAG QTY	
2501.20	20	200 / 10	 90° ELBOW
2501.25	25	150 / 10	
2501.32	32	100 / 5	
2501.40	40	60	
2501.50	50	35	
2501.63	63	24	
2501.90	90	8	
2502.20	20	140 / 10	 90° SLIP TEE 40-63mm: 12.5 Bar
2502.25	25	100 / 5	
2502.32	32	60 / 5	
2502.40	40	40	
2502.50	50	25	
2502.63	63	16	
2503.20.15	20 x 1/2"	180 / 10	 FEMALE THREADED TEE 75-90mm: 6.3 Bar
2503.25.20	25 x 3/4"	140 / 5	
2503.32.25	32 x 1"	80 / 5	
2503.40.32	40 x 1 1/4"	55	
2503.50.40	50 x 1 1/2"	36	
2503.63.50	63 x 2"	20	
2503.75.65	75 x 2 1/2"	10	
2503.90.80	90 x 3"	7	
2504.20	20	120 / 10	 90° TEE
2504.25	25	100 / 5	
2504.32	32	60 / 5	
2504.40	40	40	
2504.50	50	25	
2504.63	63	16	
2504.90	90	5	
2505.25.20	25 x 20	100 / 5	 REDUCING TEE
2505.32.25	32 x 25	60 / 5	
2505.40.32	40 x 32	40	
2505.50.40	50 x 40	30	
2505.63.50	63 x 50	18	
2506.20	20 x 1/2"	350 / 10	 FEMALE THREADED ADAPTER 90-110mm: 6.3 Bar
2506.25	25 x 3/4"	250 / 10	
2506.32	32 x 1"	150 / 5	
2506.40	40 x 1 1/4"	110	
2506.50	50 x 1 1/2"	70	
2506.63	63 x 2"	48	
2506.75.65	75 x 2 1/2"	28	
2506.90	90 x 3"	16	
2506.110	110 x 4"	8	
2507.20	20 x 1/2"	320 / 10	 90° MALE THREADED ELBOW
2507.25	25 x 3/4"	250 / 10	
2507.32	32 x 1"	140 / 5	
2507.40	40 x 1 1/4"	90	
2507.50	50 x 1 1/2"	55	
2507.63	63 x 2"	35	
2508.20	20 x 1/2"	350 / 10	 90° FEMALE THREADED ELBOW
2508.25	25 x 3/4"	250 / 10	
2508.32	32 x 1"	150 / 5	
2508.40	40 x 1 1/4"	90	
2508.50	50 x 1 1/2"	60	
2508.63	63 x 2"	35	
2509.20	20 x 1/2"	150	 FEMALE WINGBACK ADAPTOR
2509.25	25 x 3/4"	100	




PLASSON COMPRESSION FITTINGS (20-110mm: 16 Bar)

For use with Greenline, Redline, Rural Black, Blueline, Blackline PN16 and Effluent Pipe







ORDER CODE	SIZE mm	CTN / BAG QTY	
2510.20	20	200 / 10	 <p>COUPLING</p>
2510.25	25	180 / 10	
2510.32	32	100 / 5	
2510.40	40	75	
2510.50	50	45	
2510.63	63	30	
2510.75	75	16	
2510.90	90	10	
2510.110	110	5	
2511.20	20	240 / 10	
2511.25	25	180 / 10	
2511.32	32	80 / 5	
2511.40	40	55	
2511.50	50	44	
2511.63	63	24	
2512.25.15-22	25 x 15-22	90	 <p>UNIVERSAL COUPLING</p>
2512.25.20-27	25 x 20-27	80	
2512.25.27-35	25 x 27-35	60	
2512.32.27-35	32 x 27-35	60	
2512.50.35-50	50 x 35-50	20	
2513.20	20 x 1/2"	350 / 10	 <p>MALE THREADED ADAPTER</p>
2513.25.15	25 x 1/2"	250 / 10	
2513.25	25 x 3/4"	250 / 10	
2513.32	32 x 1"	150 / 5	
2513.40	40 x 1 1/4"	110	
2513.50	50 x 1 1/2"	70	
2513.63	63 x 2"	48	
2513.75.65	75 x 2 1/2"	28	
2513.90	90 x 3"	16	
2513.110	110 x 4"	8	
2519.25.20	25 x 3/4"	300 / 15	 <p>FEMALE THREADED BRANCH SADDLE 25-50mm: 12.5 Bar 63mm x 1/2" & 1/4": 16 Bar 63mm x 1" & 1 1/4": 12.5 Bar 63mm x 1 1/2": 12 Bar 75-90mm: 10 Bar</p>
2519.32.25	32 x 1"	150 / 10	
2519.40.25	40 x 1"	150	
2519.50.15	50 x 1/2"	100	
2519.50.20	50 x 3/4"	100	
2519.50.25	50 x 1"	100	
2519.50.32	50 x 1 1/4"	100	
2519.63.15	63 x 1/2"	70	
2519.63.20	63 x 3/4"	70	
2519.63.25	63 x 1"	70	
2519.63.32	63 x 1 1/4"	60	
2519.63.40	63 x 1 1/2"	60	
2519.75.25	75 x 1"	55	
2519.75.50	75 x 2"	50	
2519.90.25	90 x 1"	45	
2519.90.50	90 x 2"	40	
2523.25.20	25 x 20	200 / 10	
2523.32.25	32 x 25	120 / 5	
2523.40.32	40 x 32	90	
2523.50.40	50 x 40	60	
2523.63.50	63 x 50	36	
2524.25.20	25 x 20	300	 <p>REDUCING SET</p>
2524.32.20	32 x 20	250	
2524.32.25	32 x 25	250	
2524.40.25	40 x 25	180	
2524.40.32	40 x 32	200	
2524.50.25	50 x 25	120	
2524.50.32	50 x 32	120	
2524.50.40	50 x 40	120	
2524.63.25	63 x 25	80	
2524.63.32	63 x 32	80	
2524.63.40	63 x 40	80	
2524.63.50	63 x 50	80	

PLASSON COMPRESSION FITTINGS (20-110mm: 16 Bar)







For use with Greenline, Redline, Rural Black, Blueline, Blackline PN16 and Effluent Pipe

ORDER CODE	SIZE mm	CTN / BAG QTY	
2530.20	20	3000 / 10	 PLUG ADAPTER
2530.25	25	2000 / 10	
2530.32	32	1200 / 10	
2530.40	40	720	
2530.50	50	400	
2530.63	63	200	
2555.20.63	20 - 63	1	 CHAMFERING TOOL
20mm Plasson Inserts	20	1	
25mm Plasson Inserts	25	1	 INSERTS
32mm Plasson Inserts	32	1	
40mm Plasson Inserts	40	1	
50mm Plasson Inserts	50	1	
63mm Plasson Inserts	63	1	

PLASSON THREADED FITTINGS

ORDER CODE	SIZE	CTN / BAG QTY	
2514.15	1/2"	800 / 10	 THREADED TEE 1/2"-1": 10 Bar, 1 1/4"-2": 6 Bar
2514.20	3/4"	500 / 10	
2514.25	1"	260 / 10	
2514.32	1 1/4"	140 / 5	
2514.40	1 1/2"	90 / 5	
2514.50	2"	90 / 5	
2515.15	1/2"	1000 / 10	 THREADED ELBOW 1/2"-1": 10 Bar, 1 1/4"-2": 6 Bar
2515.20	3/4"	700 / 10	
2515.25	1"	400 / 10	
2515.32	1 1/4"	200 / 10	
2515.40	1 1/2"	150 / 5	
2515.50	2"	80 / 5	
2516.15	1/2"	2000 / 10	 THREADED NIPPLE 10 Bar
2516.20	3/4"	1500 / 10	
2516.25	1"	800 / 10	
2516.32	1 1/4"	400 / 10	
2516.40	1 1/2"	300 / 5	
2516.50	2"	180 / 5	
2517.20.15	3/4" x 1/2"	2000 / 10	 THREADED REDUCING BUSH 1/2"-1": 10 Bar, 1 1/4"-3": 6 Bar
2517.25.15	1" x 1/2"	1200 / 10	
2517.25.20	1" x 3/4"	1000 / 10	
2517.32.15	1 1/4" x 1/2"	700 / 10	
2517.32.20	1 1/4" x 3/4"	700 / 10	
2517.32.25	1 1/4" x 1"	700 / 10	
2517.40.15	1 1/2" x 1/2"	600 / 10	
2517.40.20	1 1/2" x 3/4"	600 / 10	
2517.40.25	1 1/2" x 1"	500 / 10	
2517.40.32	1 1/2" x 1 1/4"	500 / 10	
2517.50.15	2" x 1/2"	350 / 5	
2517.50.20	2" x 3/4"	350 / 5	
2517.50.25	2" x 1"	300 / 5	
2517.50.32	2" x 1 1/4"	320 / 5	
2517.50.40	2" x 1 1/2"	320 / 5	
2517.65.50	2 1/2" x 2"	200	
2517.80.50	3" x 2"	150	
2517.80.65	3" x 2 1/2"	150	
2518.20.15	3/4" x 1/2"	1500 / 10	 THREADED REDUCING NIPPLE 10 Bar
2518.25.20	1" x 3/4"	800 / 10	
2518.32.25	1 1/4" x 1"	500 / 10	
2518.40.32	1 1/2" x 1 1/4"	400 / 5	
2518.50.40	2" x 1 1/2"	240 / 5	
2521.15	1/2"	1200 / 10	
2521.20	3/4"	1000 / 10	
2521.25	1"	600 / 10	
2521.32	1 1/4"	250 / 10	
2521.40	1 1/2"	250 / 10	
2521.50	2"	150 / 5	
2530T.15	1/2"	2500 / 10	 THREADED PLUG 10 Bar
2530T.20	3/4"	1500 / 10	
2530T.25	1"	1000 / 10	
2530T.32	1 1/4"	700 / 10	
2530T.40	1 1/2"	500 / 10	
2530T.50	2"	300 / 10	

PLASSON POLYPROPYLENE VALVES

ORDER CODE	SIZE mm	CTN / BAG QTY	
2711	3/4"	150 / 5	 QUICK COUPLING VALVE 10 Bar
2712	1"	150 / 5	
2713		250 / 5	 RISER KEY
2720.25	25	800 / 5	 CHECK VALVE INSERT 16 Bar
2731	3/4"	140 / 5	 VALVE 10 Bar
2732	1"	120 / 5	
2735.32	1 1/4"	40	 ANGLE SEAT VALVE 8 BAR
2735.40	1 1/2"	24	
2735.50	2"	15	
2741.20	20	100 / 5	 COMPRESSION STOPCOCK 12.5 Bar
2741.25	25	80 / 5	
2741.32	32	60 / 5	

NEXUSFLO Land Drainage Systems Twin Wall Smooth Bore PE Punched


ORDER CODE	SIZE mm	LENGTH m
NEXUS11015	110	15
NEXUS11030	110	30
NEXUS11050	110	50
NEXUS110100	110	100
NEXUS110450	110	450
NEXUS16045	160	45
NEXUS160185	160	185
NEXUS2005	200	5
NEXUS20029	200	29



BLACK PIPE WITH BLUE STRIPE
SUPPLIED WITH PUSH FIT COUPLER

NEXUSCOIL Twin Wall Smooth Bore PE Unpunched

ORDER CODE	SIZE mm	LENGTH m
NEXUSCOIL11015	110	15
NEXUSCOIL11030	110	30
NEXUSCOIL11050	110	50
NEXUSCOIL110100	110	100
NEXUSCOIL110450	110	450
NEXUSCOIL16045	160	45
NEXUSCOIL160185	160	185
NEXUSCOIL20029	200	29




BLACK PIPE WITH YELLOW STRIPE
SUPPLIED WITH PUSH FIT COUPLER

NOVAFLO Land Drainage Systems Single Wall Corrugated Bore PE Punched

ORDER CODE	SIZE mm	COIL LENGTH m
400.065.15*	65	15
400.065.30*	65	30
400.065.150	65	150
400.110.15	110	15
400.110.30	110	30
400.110.50	110	50
400.110.100	110	100
400.110.450	110	450
400.160.15	160	15
400.160.45	160	45
400.160.185	160	185


*Sold only in bundles of 4 coils



BLACK PIPE WITH WHITE STRIPE
SUPPLIED WITH PUSH FIT COUPLER

NOVACOIL Single Wall Corrugated Bore PE Unpunched

ORDER CODE	SIZE mm	COIL LENGTH m
500.065.15	65	15
500.065.30	65	30
500.065.150	65	150
500.110.15	110	15
500.110.30	110	30
500.110.100	110	100
500.160.15	160	15
500.160.45	160	45



BLACK PIPE WITH WHITE STRIPE
SUPPLIED WITH PUSH FIT COUPLER

NEXUS/NOVAFLO FITTINGS

ORDER CODE	SIZE mm	CTN QTY
404.110.45	110 x 45°	8
404.160.45	160 x 45°	2
404.160.110.45	160 x 110 x 45°	3



410.065	65	1
---------	----	---



420.110	110	1
420.160	160	1
420.200	200	1
420.250	250	1



423.160.110	160 x 110	8
-------------	-----------	---



430.110	110	1
430.160	160	1



NEXUS CULVERT Twin Wall Smooth Bore Heavy Duty PE Culvert Pipe


ORDER CODE	SIZE mm x LENGTH m	PACK QTY
NEXUSCULVERT1105	110 x 5	67
NEXUSCULVERT1605	160 x 5	28
NEXUSCULVERT2005	200 x 5	20
NEXUSCULVERT2505PE*	250 x 5	12
NEXUSCULVERT2506	250 x 6	12



BLACK PIPE WITH BROWN STRIPE SUPPLIED WITH PUSH FIT COUPLER

FARMTUFF uPVC CULVERT PIPE

ORDER CODE	SIZE mm x LENGTH m	PACK QTY
550.110.5 SOE	110 x 5	67
550.160.5 SOE	160 x 5	28
550.200.3 SOE	200 x 3	20
550.200.5 SOE	200 x 5	20
550.250.3 SOE	250 x 3	12
550.250.5 SOE	250 x 5	12
550.315.3 SOE	315 x 3	6
550.315.5 SOE	315 x 5	6
550.400.3 SOE	400 x 3	6
550.400.5 SOE	400 x 5	6
550.500.3 SOE	500 x 3	2/4
550.500.5 SOE	500 x 5	2/4



SOLVENT CEMENT JOINT

*Plain End, no coupler supplied

LAYLITE CULVERT

LAYLITE CULVERT

ORDER CODE	SIZE ID mm	LENGTH m	PACK
LL400STD	408	0.92	10
LL400.3.7	408	3.7	1
LL400.6.6	408	6.6	1
LL600.3.8	600	3.8	1



BLACK PIPE 1/4 TURN SOCKET

LAYLITE FLUME

ORDER CODE	SIZE ID mm	LENGTH m	PACK
LLF400.3.7	408	3.7	5
LLF600.3.8	600	3.8	5



BLACK FLUME

LAYLITE VALVE BOX














ORDER CODE	SIZE ID mm	LENGTH m	PACK
LLVB400	408	0.92	1














BLACK 1/4 TURN LID

RAINWATER SYSTEMS

uPVC RAINWATER SYSTEMS GUTTER & SOLVENT CEMENT JOINT FITTINGS

ORDER CODE	SIZE mm	QTY	
FL1.3	3m	8*	
FL1.5	5m	4*	
*Bundles			
FL2I		200 / 10	
FL2E		100 / 10	
FL3		30	
FL4		30	
FL5		40	
MF6S		10	
MF7S		10	
FL8.65	65	10	
FL8.80	80	10	
FL8.100	100 x 50	10	
FL8.LH		30	
FL8.RH		30	
FL17		10	
MFT		10	

UPVC RAINWATER SYSTEMS GUTTER & RUBBER RING JOINT FITTINGS

ORDER CODE	SIZE mm	QTY	
FL1.3	3m	8*	
FL1.5	5m	4*	
*Bundles			
FL2I		200 / 10	
FL2E		100 / 10	
MF3		30	
MF4		30	
MF6		10	
MF7		10	
FL8.65	65	10	
FL8.80	80	10	
FL8.100	100 x 50	10	
FL8.LH		30	
FL8.RH		30	
MF17		30	

uPVC RAINWATER SYSTEMS 65mm & 80mm DOWNPIPE & FITTINGS

ORDER CODE	SIZE mm	QTY
RP65.3SOE	65 x 3m	192*
RP80.3SOE	80 x 3m	135**

*Available in bundles of 12

**Available in bundles of 9



DOWNPIPE

RB2.65	65 x 95°	20
RB2.80	80 x 95°	20
RB3.65	65 x 112°	10
RB3.80	80 x 112°	10



SOCKET BEND

RJ65	65 x 95°	5
RJ80	80 x 95°	5



JUNCTION

RC65	65	50
RC80	80	50



PIPE CLIPS

RA65.90	65 x 90	10
RA80.90	80 x 90	10



DOWNPIPE ADAPTOR

RS65	65	20
RS80	80	15



DOWNPIPE SOCKETS

R11.80	80	130
--------	----	-----










GUTTER POP

LEAFTRAP80	80	20
------------	----	----





LEAF TRAP

uPVC RAINWATER SYSTEMS 100mm x 50mm DOWNPIPE & FITTINGS

ORDER CODE	SIZE mm	QTY	
RP100X50.3 PE *Available in bundles of 10	100 x 50 x 3m	120*	 DOWNPIPE
RB2.100X50.45	100 x 50 x 45°	90	 SOCKET BEND
RB2.100X50.95	100 x 50 x 90°	10	
RB4.100X50.45	100 x 50 x 45°	5	 REVERSE ELBOW
RB4.100X50.95	100 x 50 x 90°	5	
RC.100X50	100 x 50	300	 PIPE CLIPS
RA.100X50X90	100 x 50 x 90	102	 DOWNPIPE ADAPTOR
RS.100X50	100 x 50	125	 DOWNPIPE SOCKETS
R11.100 X50	100 x 50	105	 GUTTER POP

uPVC RAINWATER SYSTEMS ACCESSORIES

ORDER CODE	SIZE	QTY	
RSC.150	150ml	35	 SOLVENT CEMENT
RN		1	 NAILS (150 NAILS PER BAG)


TELECOMMUNICATIONS, ELECTRICAL DUCT & GAS SYSTEMS

**uPVC ELECTRICAL DUCT
uPVC ELECTRICAL FITTINGS
RESTRAIN ELECTRICAL DUCT
PE ELECTRICAL DUCT
TELECOMMUNICATIONS DUCT
POLIgas™**

ELECTRICAL CABLE DUCT

uPVC ELECTRICAL CABLE DUCT (ORANGE)

ORDER CODE	SIZE mm x LENGTH m	PACK QTY
2700.32.6 SOE	32 x 6	240
2700.40.6 SOE	40 x 6	180
2700.50.6 SOE	50 x 6	150
2700.80LD.6 SOE	80 x 6	88
2700.100LD.6 SOE	100 x 6	67
2700.150LD.6 SOE	150 x 6	28



SOCKET ONE END
(ORANGE)

uPVC ELECTRICAL CABLE DUCT BENDS (ORANGE)

ORDER CODE	SIZE mm
2703.50.45	50 x 45°
2703.50.90	50 x 90°
2703.80.45	80 x 45°
2703.80.90	80 x 90°
2703.100.45R250	100 x 45° ROD* 250mm
2703.100.90R250	100 x 90° ROD* 250mm
2703.100.90R900	100 x 90° ROD* 900mm



FORMED ELECTRICAL
BENDS

*Radius of Diameter

uPVC RESTRAIN CABLEDUCT (For Trenchless Installation)

RESTRAIN CABLEDUCT uPVC LIGHT DUTY THREADED JOINT RRJ (ORANGE)

ORDER CODE	SIZE mm x LENGTH m	PACK QTY
RESTRAIN CABLEDUCT 100.6*	100 x 6	67
RESTRAIN CABLEDUCT 100.3*	100 x 3	67
RESTRAIN CABLEDUCT 150.6*	150 x 6	28
RESTRAIN CABLEDUCT 150.3*	150 x 3	28



THREADED JOINT RRJ

*MADE TO ORDER


– For Technical Assistance call customer services 0800 800 262

– For Pricing Assistance call contract pricing 0800 800 283

POLYETHYLENE ELECTRICAL CABLE DUCT

NEXUS CABLE DUCT (ORANGE)


ORDER CODE	SIZE mm x LENGTH m	PACK QTY
NEXUS110CD750N6	110 x 6	67



ORANGE PIPE SUPPLIED
WITH PUSHFIT COUPLER

COILED PE ELECTRICAL CABLE DUCT (ORANGE)

ORDER CODE	SIZE mm	COIL LENGTH m
CABLE DUCT OR 32/25.200	32	200
CABLE DUCT OR 32/25.500	32	500
CABLE DUCT OR 63/55.100	63	100
CABLE DUCT OR 63/55.150	63	150
CABLE DUCT OR 90/79.50	90	50
CABLE DUCT OR 90/79.100	90	100
CABLE DUCT OR 110/97.50	110	50
CABLE DUCT OR 110/97.100	110	100
CABLE DUCT OR 125/110.100	125	100




STANDARD GLOW ORANGE
OR: ALL ORANGE

TELECOMMUNICATION CABLE DUCT

COILED PE TELECOMMUNICATION DUCT (GREEN)


ORDER CODE	SIZE mm	COIL LENGTH m
TELEDUCT PE 32/25.200	32	200
TELEDUCT PE 32/25.500	32	500
TELEDUCT PE 63/55.100	63	100
TELEDUCT PE 63/55.150	63	150
TELEDUCT PE 110/97.50	110	50
TELEDUCT PE 110/97.100	110	100



COILED PE
TELECOMMUNICATION
DUCT (GREEN)

uPVC CABLE DUCT (WHITE)

ORDER CODE	SIZE mm x LENGTH m	PACK QTY
CD80020	20mm x 6	500



SOCKET ONE END
(WHITE)

uPVC CABLE DUCT BENDS (WHITE)

ORDER CODE	SIZE mm	QTY
CD8032045	20 x 45°	1 x 1
CD8032090	20 x 90°	1 x 1



FORMED BENDS
(WHITE)

Poliplex POLIgas

POLIgas GAS PIPE PE80B (MDPE) METRIC DIMENSION Manufactured to AS/NZS 4130 Series 2


ORDER CODE	SIZE mm	COIL LENGTH m
230.25SDR11.150	25	150
230.32SDR11.150	32	150



(YELLOW)

POLIgas GAS PIPE PE80B (MDPE) IMPERIAL DIMENSION Manufactured to AS/NZS 4130 Series 3

ORDER CODE	SIZE mm	COIL or LENGTH m
200.10.150.9 IMP	10	150
200.15.150.9 IMP	15	150
200.20.150.11 IMP	20	150
200.25.150.11 IMP	25	150
200.32.150.11 IMP	32	150
200.50.100.11 IMP	50	100
200.80.12.11 IMP	80	12
200.100.12.11 IMP	100	12



(YELLOW)

MISCELLANEOUS

NOVAKEY™ SOLVENT CEMENT
NOVALUBE
MEDLUBE

MISCELLANEOUS

NOVAKEY SOLVENT CEMENT PRESSURE APPLICATIONS

ORDER CODE	SIZE	CTN QTY
9100.125P*	125ml	40
9100.250P*	250ml	20
9100.500P*	500ml	10
9100.4P	4 litres	4

*Contains internal brush



SOLVENT CEMENT
(BLUE)

NOVAKEY SOLVENT CEMENT NON PRESSURE APPLICATIONS

ORDER CODE	SIZE	CTN QTY
9100.125NP*	125ml	40
9100.250NP*	250ml	20
9100.500NP*	500ml	10
9100.4NP	4 litres	4

*Contains internal brush



SOLVENT CEMENT
(CLEAR)

NOVALUBE PIPE LUBRICANT

ORDER CODE	SIZE	CTN QTY
9136.500	500gm	1 x 18
9136.2	2kg	1 x 6

Suitable for use on rubber ring joints in non-potable water pipelines, stormwater and sewer applications.



PIPE LUBRICANT

MED LUBE

ORDER CODE	SIZE	CTN QTY
9137.275	275gm	42
9137.500	500gm	12
9137.2	2kg	6
9137.4	4kg	4

Suitable for use on rubber ring joints in potable water pipelines and pressure applications.



MED LUBE

NOVAKEY CLEANER PRIMER

ORDER CODE	SIZE	CTN QTY
9101.250	250ml	20

Note: Cleaner primer should be used in conjunction with solvent cement to achieve a good quality joint.



CLEANER PRIMER
(CLEAR)

NOVAKEY CLEANER PRIMER

ORDER CODE	SIZE	CTN QTY
9101C.500	500ml	12

Note: Cleaner primer should be used in conjunction with solvent cement to achieve a good quality joint. The purple colour provides visual proof of use during the jointing process.



CLEANER PRIMER
(PURPLE)



IPLEX PIPELINES NZ LIMITED PRODUCT RANGE

NOVADRAIN, NOVACOR & SUPERTUFF PVC DRAIN WASTE & VENT SYSTEMS

RESTRAIN™
DRILLABLE PVC GRAVITY SEWER PIPE

POLIDRAIN™
POLYETHYLENE DRAINAGE SYSTEM

SUPERSTORM™ & STORMFIT
PVC STORMWATER DUCT SYSTEM

NEXUS™ HI-WAY
ROAD DRAINAGE SYSTEM

TEGRA™
INSPECTION CHAMBER SYSTEMS

APOLLO™ & APOLLOBLUE™
PVC-O PRESSURE PIPE SYSTEMS

NOVAKEY™ & BLUE BRUTE
PVC-U PRESSURE PIPE SYSTEMS

WHITE & BLUE RHINO™
HIGH IMPACT PVC-M PRESSURE PIPE SYSTEMS

BLUELINE
MEDIUM DENSITY POLYETHYLENE PIPE

POLIPLEX
POLYETHYLENE PRESSURE PIPE

ALKATHENE™
LOW DENSITY POLYETHYLENE PIPE

NOVATUBE
HORTICULTURAL LATERAL TUBE

GREENLINE, REDLINE™, RURAL BLACK & BLACKLINE
RURAL POLYETHYLENE PIPE SYSTEMS

PLASSON
METRIC COMPRESSION FITTINGS

NEXUS™FLO, NEXUS™COIL, NOVAFLO™ & NOVACOIL
LAND DRAINAGE SYSTEMS

IPLEX EFFLUENT PIPE
MEDIUM DENSITY POLYETHYLENE PIPE

FARMTUFF™ NEXUS™CULVERT & LAYLITE™
CULVERT PIPE SYSTEMS

RAINWATER SYSTEMS
SPOUTING & DOWNPIPE

POLIGAS™
POLYETHYLENE GAS SYSTEMS



© 2005 IPLEX PIPELINES (NZ) LIMITED, POLIDRIAN™, SUPERSTORM™, NEXUS™, TEGRA™, NOVAKEY™, RHINO™, RESTRAIN™, APOLLO™ REDLINE™, NOVAFLO™, FARMTUFF™ and POLIGAS™ are registered trade marks of IPLEX PIPELINES (NZ) LIMITED. The information contained in this brochure is intended to be of a general nature only and should be used as a guide only. Before relying on any of the information in this brochure, you should first refer to the appropriate codes and standards and consult Iplex Pipelines and/or your local authorities. This brochure supercedes all previous issues.

IPLEX Pipelines NZ Limited

Call Centre - Phone: 0800 800 262 Fax: 0800 800 804

Offices at:

Auckland: PO Box 13772, 2 Rockridge Road, Penrose

Palmerston North: Private Bag 11019, 67 Malden Street

Christchurch: PO Box 16225, 22 Braeburn Drive, Sockburn