



PIPE (CHS)

Hot Dip Galvanised Pipe

Available in 6.0mtr or 6.5mtr lengths. Non-standard lengths available upon request.

Zinc Coating: 220-600g/m2.

Manufactured to AS1163 C250, BS1387 and Chinese standard GB/T3091-2001



06

PIPE (CHS)

NB (MM)	OD	WT (MM)	LGTHS / BDL	KG / M
Super Light Plain End Pipe				
20	26.9	2.0	169	1.23
25	33.7	2.0	91	1.56
32	42.4	2.0	61	1.99
40	48.3	2.3	61	2.61
50	60.3	2.3	61	3.29
65	76.1	2.3	37	4.19
80	88.9	2.6	37	5.53
90	101.6	2.6	37	6.35
100	114.3	3.2	19	8.77
125	139.7	3.0	19	10.11
150	165.1	3.0	19	11.99
Light Plain End Pipe				
20	26.9	2.3	127	1.40
25	33.7	2.6	91	1.99
32	42.4	2.6	61	2.55
40	48.3	2.9	61	3.25
50	60.3	2.9	61	4.10
65	76.1	3.2	37	5.75
80	88.9	3.2	37	6.76
90	101.6	3.2	37	7.76
100	114.3	3.6	19	9.83
125	139.7	3.5	19	11.76
150	165.1	3.5	19	13.95

NB (MM)	OD	WT (MM)	LGTHS / BDL	KG / M
Medium Plain End Pipe				
15	21.3	2.6	169	1.20
20	26.9	2.6	127	1.56
25	33.7	3.2	91	2.41
32	42.4	3.2	61	3.09
40	48.3	3.2	61	3.56
50	60.3	3.6	61	5.03
65	76.1	3.6	37	6.44
80	88.9	4.0	37	8.37
90	101.6	4.0	19	9.63
100	114.3	4.5	19	12.18
125	139.7	5.0	19	16.61
150	165.1	5.0	19	19.74
Medium Screwed & Socketed Pipe				
15	21.3	2.6	169	1.20
20	26.9	2.6	127	1.56
25	33.7	3.2	91	2.41
32	42.4	3.2	61	3.09
40	48.3	3.2	61	3.56
50	60.3	3.6	61	5.03
65	76.1	3.6	37	6.44
80	88.9	4.0	37	8.37
90	101.6	4.0	19	9.63
100	114.3	4.5	19	12.18
150	165.1	5.0	19	19.74

PIPE (CHS)



Pre Galvanised Pipe

Available in 6.0mtr or 6.5mtr lengths. **Zinc Coating:** 100-120g/m². Manufactured to Chinese standard grade A. Pre galvanised also available in AS1163 Grade C350 275g/m²

NB (MM)	OD	WT (MM)	LGTHS / BDL	KG / M
Super Light Plain End Pipe				
20	26.9	2.0	169	1.23
25	33.7	2.0	91	1.56
32	42.4	2.0	61	1.99
40	48.3	2.3	61	2.61
50	60.3	2.3	61	3.29
65	76.1	2.3	37	4.19
80	88.9	2.6	37	5.53
90	101.6	2.6	37	6.35
100	114.3	3.2	19	8.77
125	139.7	3.0	19	10.11
150	165.1	3.0	19	11.99
Light Plain End Pipe				
20	26.9	2.3	127	1.40
25	33.7	2.6	91	1.99
32	42.4	2.6	61	2.55
40	48.3	2.9	61	3.25
50	60.3	2.9	61	4.10
65	76.1	3.2	37	5.75
80	88.9	3.2	37	6.76
90	101.6	3.2	37	7.76
100	114.3	3.6	19	9.83
125	139.7	3.5	19	11.76
150	165.1	3.5	19	13.95

NB (MM)	OD	WT (MM)	LGTHS / BDL	KG / M
Medium Plain End Pipe				
15	21.3	2.6	169	1.20
20	26.9	2.6	127	1.56
25	33.7	3.2	91	2.41
32	42.4	3.2	61	3.09
40	48.3	3.2	61	3.56
50	60.3	3.6	61	5.03
65	76.1	3.6	37	6.44
80	88.9	4.0	37	8.37
90	101.6	4.0	19	9.63
100	114.3	4.5	19	12.18
125	139.7	5.0	19	16.61
150	165.1	5.0	19	19.74
Medium Screwed & Socketed Pipe				
15	21.3	2.6	169	1.20
20	26.9	2.6	127	1.56
25	33.7	3.2	91	2.41
32	42.4	3.2	61	3.09
40	48.3	3.2	61	3.56
50	60.3	3.6	61	5.03
65	76.1	3.6	37	6.44
80	88.9	4.0	37	8.37
90	101.6	4.0	19	9.63
100	114.3	4.5	19	12.18
150	165.1	5.0	19	19.74

07

PIPE (CHS)

PIPE (CHS)

Black Pipe

Available in: 6.0mtr or 6.5mtr lengths. Non-standard lengths available upon request. Manufactured to AS1163 C250, BS1387 and Chinese standard GB/T3091-2001. Anti-rust oil coating available upon request.




NB (MM)	OD	WT (MM)	LGTHS / BDL	KG / M
Super Light Plain End Pipe				
20	26.9	2.0	169	1.23
25	33.7	2.0	91	1.56
32	42.4	2.0	61	1.99
40	48.3	2.3	61	2.61
50	60.3	2.3	61	3.29
65	76.1	2.3	37	4.19
80	88.9	2.6	37	5.53
90	101.6	2.6	37	6.35
100	114.3	3.2	19	8.77
125	139.7	3.0	19	10.11
150	165.1	3.0	19	11.99
Light Plain End Pipe				
20	26.9	2.3	127	1.40
25	33.7	2.6	91	1.99
32	42.4	2.6	61	2.55
40	48.3	2.9	61	3.25
50	60.3	2.9	61	4.10
65	76.1	3.2	37	5.75
80	88.9	3.2	37	6.76
90	101.6	3.2	37	7.76
100	114.3	3.6	19	9.83
125	139.7	3.5	19	11.76
150	165.1	3.5	19	13.95
Medium Plain End Pipe				
15	21.3	2.6	169	1.20
20	26.9	2.6	127	1.56
25	33.7	3.2	91	2.41
32	42.4	3.2	61	3.09
40	48.3	3.2	61	3.56
50	60.3	3.6	61	5.03
65	76.1	3.6	37	6.44
80	88.9	4.0	37	8.37
90	101.6	4.0	19	9.63
100	114.3	4.5	19	12.18
125	139.7	5.0	19	16.61
150	165.1	5.0	19	19.74

08

PIPE (CHS)

PIPE (CHS)

Line Pipe



Carbon Steel Pipe Standards: API 5L (Seamless or Welded), ASTM A 106 (Seamless), ASTM A53 (Seamless or Welded). **Stainless Steel Standards:** ASTM A312, Schedule 5S, 10S, 40S & 80S. Other grades/standards available upon request.

NB		OD		SCHEDULE 30				STD				SCHEDULE 40			
				WT		Unit Weight		WT		Unit Weight		WT		Unit Weight	
Inches	MM	Inches	MM	Inches	MM	Lb/ft	Kg/m	Inches	MM	Lb/ft	Kg/m	Inches	MM	Lb/ft	Kg/m
1/8	6	0.405	10.30					0.068	1.73	0.24	0.37	0.068	1.73	0.24	0.37
1/4	8	0.540	13.70					0.880	2.24	0.42	0.63	0.088	2.24	0.42	0.63
3/8	10	0.675	17.10					0.910	2.31	0.57	0.84	0.091	2.31	0.57	0.84
1/2	15	0.840	21.30					0.109	2.77	0.85	1.27	0.109	2.77	0.85	1.27
3/4	20	1.050	26.70					0.113	2.87	1.13	1.69	0.113	2.87	1.13	1.69
1	25	1.315	33.40					0.133	3.38	1.68	2.50	0.133	3.38	1.68	2.50
1 1/4	32	1.660	42.20					0.140	3.56	2.27	3.39	0.140	3.56	2.27	3.39
1 1/2	40	1.900	48.30					0.145	3.68	2.72	4.05	0.145	3.68	2.72	4.05
2	50	2.375	60.30					0.154	3.91	3.65	5.44	0.154	3.91	3.65	5.44
2 1/2	65	2.875	73.00					0.203	5.16	5.79	8.63	0.203	5.16	5.79	8.63
3	80	3.500	88.90					0.216	5.49	7.58	11.29	0.216	5.49	7.58	11.29
3 1/2	90	4.000	101.60					0.226	5.74	9.11	13.57	0.226	5.74	9.11	13.57
4	100	4.500	114.30					0.237	6.02	10.79	16.07	0.237	6.02	10.79	16.07
5	125	5.563	141.30					0.258	6.55	14.62	21.77	0.258	6.55	14.62	21.77
6	150	6.625	168.30					0.280	7.11	18.97	28.26	0.280	7.11	18.97	28.26
8	200	8.625	219.10	0.277	7.04	24.70	36.79	0.322	8.18	28.55	42.55	0.322	8.18	28.55	42.55
10	250	10.750	273.00	0.307	7.80	34.24	51.00	0.365	9.27	40.48	60.29	0.365	9.27	40.48	60.29
12	300	12.750	323.80	0.330	8.39	43.77	65.20	0.375	9.53	49.56	73.86	0.406	10.31	53.52	79.72
14	350	14.000	355.60	0.375	9.53	54.57	81.28	0.375	9.53	54.57	81.33	0.438	11.13	63.44	94.49
16	400	16.000	406.40	0.375	9.53	62.58	93.21	0.375	9.53	62.58	93.27	0.500	12.70	82.77	123.29
18	450	18.000	457.20	0.438	11.13	82.15	122.36	0.375	9.53	70.59	105.21	0.562	14.27	104.67	155.91
20	500	20.000	508.00	0.500	12.70	104.13	155.10	0.375	9.53	78.60	117.15	0.594	15.09	123.11	183.42
22	550	22.000	558.80	0.500	12.70	114.81	171.01	0.375	9.53	86.61	129.08				
24	600	24.000	609.60	0.562	14.27	140.68	209.54	0.375	9.53	94.62	141.02	0.688	17.48	171.29	255.14
26	650	26.000	660.40					0.375	9.53	102.63	152.96				
28	700	28.000	711.20	0.625	15.88	182.73	272.18	0.375	9.53	110.64	164.90				
30	750	30.000	762.00	0.625	15.88	196.08	292.06	0.375	9.53	118.65	176.84				
32	800	32.000	812.80	0.625	15.88	209.43	311.95	0.375	9.53	126.66	188.78	0.688	17.48	230.08	342.70
34	850	34.000	863.60	0.625	15.88	222.78	331.83	0.375	9.53	134.67	200.71	0.688	17.48	244.77	364.58
36	900	36.000	914.40	0.625	15.88	236.13	351.72	0.375	9.53	142.68	212.65	0.750	19.05	282.35	420.56
38	950	38.000	965.20					0.375	9.53	150.69	224.59				
40	1000	40.000	1016.00					0.375	9.53	158.70	236.53				
42	1050	42.000	1066.80					0.375	9.53	166.71	248.47				
44	1100	44.000	1117.60					0.375	9.53	174.72	260.41				
46	1150	46.000	1168.40					0.375	9.53	182.73	272.50				
48	1200	48.000	1219.20					0.375	9.53	190.74	284.28				
50	1250	50.000	1270.00					0.375	9.53	198.75	296.22				
52	1300	52.000	1320.80					0.375	9.53	206.76	308.16				
54	1350	54.000	1371.60					0.375	9.53	214.77	320.10				
56	1400	56.000	1422.40					0.375	9.53	222.78	332.04				
60	1500	60.000	1524.00					0.375	9.53	238.80	355.92				
64	1600	64.000	1625.60					0.375	9.53	254.82	379.79				
68	1700	68.000	1727.00					0.375	9.53	270.84	403.62				
72	1800	72.000	1828.80					0.375	9.53	286.86	428.55				
76	1900	76.000	1930.40					0.375	9.53	302.88	451.42				
80	2000	80.000	2032.00					0.375	9.53	318.90	475.30				

99
PIPE (CHS)

PIPE (CHS)

Line Pipe

Carbon Steel Pipe Standards: API 5L (Seamless or Welded), ASTM A 106 (Seamless), ASTM A53 (Seamless or Welded). **Stainless Steel Standards:** ASTM A312, Schedule 5S, 10S, 40S & 80S. Other grades/standards available upon request.



PIPE (CHS) 10

NB		OD		SCHEDULE 60				XS				SCHEDULE 80			
				WT		Unit Weight		WT		Unit Weight		WT		Unit Weight	
Inches	MM	Inches	MM	Inches	MM	Lb/ft	Kg/m	Inches	MM	Lb/ft	Kg/m	Inches	MM	Lb/ft	Kg/m
1/8	6	0.405	10.30					0.095	2.41	0.31	0.47	0.095	2.41	0.31	0.46
1/4	8	0.540	13.70					0.119	3.02	0.54	0.80	0.119	3.02	0.54	0.80
3/8	10	0.675	17.10					0.126	3.20	0.74	1.10	0.126	3.20	0.74	1.10
1/2	15	0.840	21.30					0.147	3.73	1.09	1.62	0.147	3.73	1.09	1.62
3/4	20	1.050	26.70					0.154	3.91	1.47	2.20	0.154	3.91	1.47	2.19
1	25	1.315	33.40					0.179	4.55	2.17	3.24	0.179	4.55	2.17	3.23
1 1/4	32	1.660	42.20					0.191	4.85	3.00	4.47	0.191	4.85	3.00	4.47
1 1/2	40	1.900	48.30					0.200	5.08	3.63	5.41	0.200	5.08	3.63	5.41
2	50	2.375	60.30					0.218	5.54	5.02	7.48	0.218	5.54	5.02	7.48
2 1/2	65	2.875	73.00					0.276	7.01	7.66	11.41	0.276	7.01	7.66	11.41
3	80	3.500	88.90					0.300	7.62	10.25	15.27	0.300	7.62	10.25	15.27
3 1/2	90	4.000	101.60					0.318	8.08	12.50	18.63	0.318	8.08	12.50	18.63
4	100	4.500	114.30					0.337	8.56	14.98	22.32	0.337	8.56	14.98	22.31
5	125	5.563	141.30					0.375	9.53	20.78	30.97	0.375	9.53	20.78	30.95
6	150	6.625	168.30					0.432	10.97	28.57	42.56	0.432	10.97	28.57	42.56
8	200	8.625	219.10	0.406	10.31	35.64	53.09	0.500	12.70	43.39	64.64	0.500	12.70	53.39	64.63
10	250	10.750	273.00	0.500	12.70	54.74	81.54	0.500	12.70	54.74	81.52	0.594	15.09	64.43	95.97
12	300	12.750	323.80	0.562	14.27	73.15	108.96	0.500	12.70	65.42	97.43	0.688	17.48	88.63	132.01
14	350	14.000	355.60	0.594	15.09	85.05	126.68	0.500	12.70	72.09	107.39	0.750	19.05	106.13	158.08
16	400	16.000	406.40	0.656	16.66	107.50	160.12	0.500	12.70	82.77	123.30	0.844	21.44	136.61	203.48
18	450	18.000	457.20	0.750	19.05	138.17	205.80	0.500	12.70	93.45	139.21	0.938	23.88	170.92	254.59
20	500	20.000	508.00	0.812	20.62	166.40	247.85	0.500	12.70	104.13	155.12	1.031	26.19	208.87	311.17
22	550	22.000	558.80	0.875	22.23	197.41	294.04	0.500	12.70	114.81	171.03	1.125	28.58	250.81	373.58
24	600	24.000	609.60	0.969	24.61	238.35	355.26	0.500	12.70	125.49	186.94	1.219	30.96	296.58	442.08
26	650	26.000	660.40					0.500	12.70	136.17	202.85				
28	700	28.000	711.20					0.500	12.70	146.85	218.76				
30	750	30.000	762.00					0.500	12.70	157.53	234.67				
32	800	32.000	812.80					0.500	12.70	168.21	250.58				
34	850	34.000	863.60					0.500	12.70	178.89	266.49				
36	900	36.000	914.40					0.500	12.70	189.57	282.40				
38	950	38.000	965.20					0.500	12.70	200.25	298.31				
40	1000	40.000	1016.00					0.500	12.70	210.93	314.22				
42	1050	42.000	1066.80					0.500	12.70	221.61	330.13				
44	1100	44.000	1117.60					0.500	12.70	232.29	346.06				
46	1150	46.000	1168.40					0.500	12.70	242.97	361.94				
48	1200	48.000	1219.20					0.500	12.70	253.65	377.85				
50	1250	50.000	1270.00					0.500	12.70	264.33	393.76				
52	1300	52.000	1320.80					0.500	12.70	275.01	409.67				
54	1350	54.000	1371.60					0.500	12.70	285.69	425.58				
56	1400	56.000	1422.40					0.500	12.70	296.37	441.49				
60	1500	60.000	1524.00					0.500	12.70	317.73	473.31				
64	1600	64.000	1625.60					0.500	12.70	339.09	505.13				
68	1700	68.000	1727.00					0.500	12.70	360.45	536.89				
72	1800	72.000	1828.80					0.500	12.70	381.81	568.77				
76	1900	76.000	1930.40					0.500	12.70	403.17	600.59				
80	2000	80.000	2032.00					0.500	12.70	424.53	632.41				